

# Mountfield

Specialist for Pool & Garden

2020


Producer of  
POOLS | ENCLOSURES | CHEMICALS | ACCESSORIES



## PRODUCTION OF

### GLASS-COMPOSITE AND CERAMIC POOLS

Mountfield production center for fibreglass and ceramic pools is situated near from Prague. The strategic position of our production allows to deal your order in the shortest time and save your money for transport cost. Each pool is delivered separately directly to your customer. We offer to deliver the in-ground pool and enclosure in one truck.



### POOL ENCLOSURES

Mountfield production center, one of the largest manufactories of pool enclosures in Europe. The company is purely Czech origin with a long tradition of know-how and the best production quality.



### STEEL WALL POOLS

Steel pools Azuro and Ibiza are the best selling pools in Europe. Mountfield production center for steel swimming pools and chemicals is situated near Prague and main Mountfield logistic center. The strategic position of our production allows to deal your order immediately or in few days.



### SOLAR PRODUCTS AND ACCESSORIES


Mountfield production center for the solar products (showers, solar collectors), pool's ladder, jet streams and accessories in northern Moravia, industrial region. The products are distributed from central logistic center.



### POOL CHEMICALS

Mountfield produces high quality chlorine chemicals, water treatments and water testers.





# Mountfield

## MAIN LOGISTIC CENTRE

- > Established in 1991
- > Czech origin company with a long tradition
- > One of the largest European producers and the most successful retailers of **garden machinery, swimming pools, BBQ equipment and garden furniture**
- > 74 fully-owned sales outlets in Czech Republic and Slovakia
- > Export all over the world since 2008
- > Main logistic center situated in Prague
- > **TOP QUALITY and MODERN DESIGN**
- > **FLEXIBLE, FAST and INEXPENSIVE deliveries**

## CONTENT

SWING POOLS	4-7
AZURO POOLS	8-14
IBIZA POOLS	15-19
MERCURY POOLS	20-22
MÉTROPOLE POOLS	23-25
CORAL GLASS-COMPOSITE POOLS	26-29
COMPACT CERAMIC POOLS	30-32
POOL ENCLOSURES	33-39
HEAT PUMPS	40-41
SOLAR PROGRAM	42
FELT UNDERLAYS / COVERS	43
POOL FILTERS	44-45
POOL LADDERS	46-47
ROLLERS AND COVERS	48
AQUA JET STREAM / 3D LED LIGHT	49
POOL LINERS	50-51
CLEANERS	52
CLEANING EQUIPMENTS	53
HOSES/ACCESSORIES	54
POOL CHEMICALS	55
SOLAR SHOWERS/ BOATS AND TOYS	56
INFRARED SAUNAS	57-63
TRADITIONAL SAUNAS	64-70
WHIRLPOOLS	71-79

# SWING® POOLS KIDS SMALL

Item No.	3EXB0161	3EXB0162	3EXB0163
Colour	BLUE	PINK	YELLOW
Approximate set-up size	1.52 m x 38 cm	1.52 m x 38 cm	1.52 m x 38 cm
Water capacity (80%)	0,401 m <sup>3</sup>	0,401 m <sup>3</sup>	0,401 m <sup>3</sup>
Weight	13.95 kg	13.95 kg	13.95 kg
Filter pump	-	-	-
Size of box (L x W x H)	50 x 34 x 34 cm	50 x 34 x 34 cm	50 x 34 x 34 cm
Pcs on a palette 120 x 80 x 180 cm	120	120	120
40" cont. /pcs	5,980 / color box	5,980 / color box	5,980 / color box



3EXB0161

## Material

Two layers of very durable PVC plastic with strong polyester inner mesh between the layers of PVC. Pool is not designed for a Filtration system and does not have any holes on the sidewalls. Suction and return fittings not included.



## SWING® POOLS

**SUPER DURABLE**  
Triple-layer Material



Item No.	3EXB0168	3EXB0169	3EXB0170	3EXB0171	3EXB0172	3EXB0173	3EXB0175	3EXB0176
Approximate set-up size	2.44 m x 76 cm	2.44 m x 76 cm	3.05 m x 76 cm	3.05 m x 76 cm	3.05 m x 76 cm	3.66 m x 76 cm	3.66 m x 76 cm	3.66 m x 84 cm
Water capacity (80 %)	2.3 m <sup>3</sup>	2.3 m <sup>3</sup>	3.8 m <sup>3</sup>	3.8 m <sup>3</sup>	3.8 m <sup>3</sup>	5.5 m <sup>3</sup>	5.5 m <sup>3</sup>	6.1 m <sup>3</sup>
Weight	6.61 kg	10.38 kg	8.52 kg	12.51 kg	11.23 kg	12.87 kg	16.46 kg	13.81 kg
Filter pump	-	Cartridge filter pump 12 V - 1.2 m <sup>3</sup>	-	Cartridge filter pump 230 V - 2.2 m <sup>3</sup>	Cartridge filter pump 12 V - 1.2 m <sup>3</sup>	-	Cartridge filter pump 12 V - 2.2 m <sup>3</sup>	-
Size of box (L x W x H)	37 x 26 x 25 cm	37 x 26 x 52 cm	37 x 26 x 31 cm	37 x 26 x 67 cm	37 x 26 x 57 cm	37 x 26 x 46 cm	37 x 26 x 71 cm	37 x 26 x 48 cm
Pcs on a palette 120 x 80 x 180 cm	56	24	40	16	24	24	16	24
40" cont. /pcs	2.325 / color box	1.134 / color box	1.898 / color box	886 / color box	1.045 / color box	1.292 / color box	830 / color box	1.240 / color box

**Material** | Two layers of very durable PVC plastic with strong polyester inner mesh between the layers of PVC Liner with two small round holes on the side to attach suction and return fittings. Suction and return fittings included.

## METAL FRAME

**SUPER DURABLE**  
Triple-layer Material



Item No.	3EXB0184	3EXB0201	3EXB0186	3EXB0187	3EXB0202	3EXB0160	3EXB0203
Type	BLUE DESIGN	BLUE DESIGN with Windows	BLUE DESIGN	BLUE DESIGN	BLUE DESIGN with Windows	BLUE DESIGN	BLUE DESIGN with Windows
Approximate set-up size	3.05 m x 76 cm	3.05 m x 76 cm	3.05 m x 76 cm	3.66 m x 84 cm	3.66 m x 84 cm	3.66 m x 91 cm	3.66 m x 91 cm
Water capacity (80 %)	4.5 m <sup>3</sup>	4.5 m <sup>3</sup>	4.5 m <sup>3</sup>	7.3 m <sup>3</sup>	7.3 m <sup>3</sup>	8.3 m <sup>3</sup>	8.3 m <sup>3</sup>
Weight	22.22 kg	22.22 kg	26.25 kg	30.25 kg	30.25 kg	31.05 kg	31.05 kg
Filter pump	-	-	SkimmerPlus™ Filter pump 12 V - 2.2 m <sup>3</sup>	-	-	-	-
Size of box (L x W x H)	31 x 31 x 90 cm	31 x 31 x 90 cm	35 x 31 x 90 cm	34 x 31 x 91 cm	34 x 31 x 91 cm	37 x 31 x 94 cm	37 x 31 x 94 cm
Pcs on a palette 120 x 80 x 180 cm	12	12	12	12	12	6	6
40" cont. /pcs	653 / color box	653 / color box	582 / color box	596 / color box	596 / color box	526 / color box	526 / color box

**Material** | Two layers of very durable PVC plastic with strong polyester inner mesh between the layers of PVC. Liner with two small round holes on the side to attach suction and return fittings. Suction and return fittings included.

Item No.	3EXB0165	3EXB0275
Type	3D SWING® POOLS	WICKER SWING® POOLS
Approximate set-up size	3.05 m x 76 cm	3.66 m x 91 cm
Water capacity (80%)	3.8 m <sup>3</sup>	6.7 m <sup>3</sup>
Weight	8.52 kg	13.29 kg
Filter pump	-	-
Size of box (L x W x H)	37 x 26 x 31 cm	37 x 26 x 50 cm
Pcs on a palette 120 x 80 x 180 cm	40	24
40" cont. /pcs	1.898 / color box	1.192

**Material | 3D SWING® POOLS**  
Durable 2-tier construction with vivid 3D aquarium graphics. Liner with two small round holes on the side to attach suction and return fittings. Suction and return fittings included.

**Material WICKER SWING® POOLS**  
Two layers of very durable PVC plastic with strong polyester inner mesh with two small round holes on the side to attach suction and return fittings. Suction and return fittings included.



	3EXB0177	3EXB0159	3EXB0158	3EXB0178	3EXB0179	3EXB0180	3EXB0181
	3.66 m x 84 cm	3.66 m x 91 cm	3.66 m x 91 cm	3.66 m x 91 cm	4.57 m x 1.07 m	4.57 m x 1.22 m	5.49 m x 1.22 m
	6.1 m <sup>3</sup>	6.7 m <sup>3</sup>	6.7 m <sup>3</sup>	6.7 m <sup>3</sup>	12.3 m <sup>3</sup>	14.1 m <sup>3</sup>	20.6 m <sup>3</sup>
	14.46 kg	14.32 kg	16.90 kg	11.23 kg	22.92 kg	26.86 kg	35.90 kg
	Cartridge filter pump 12 V - 2.2 m <sup>3</sup>	-	Cartridge filter pump 230 V - 2.2 m <sup>3</sup>	Cartridge filter pump 12 V - 2.2 m <sup>3</sup>	-	-	-
	37 x 26 x 72 cm	37 x 26 x 50 cm	37 x 26 x 82 cm	37 x 26 x 69 cm	43 x 28 x 69 cm	44 x 30 x 81 cm	73 x 24 x 86 cm
	16	24	16	16	8	8	10
	816 / color box	1.192 / color box	715 / color box	853 / color box	684 / color box	514 / color box	375 / standard box


	3EXB0204	3EXB0190	3EXB0205	3EXB0276	NEW 3EXX0445
	BLUE DESIGN with Windows	BLUE DESIGN	BLUE DESIGN with Windows	WICKER DESIGN	STONE DESIGN
	4.57 m x 1.06 m	4.57 m x 1.22 m	4.57 m x 1.22 m	3.05 m x 76 cm	3.66 m x 91 cm
	14.6 m <sup>3</sup>	16.7 m <sup>3</sup>	16.7 m <sup>3</sup>	4.5 m <sup>3</sup>	8.3 m <sup>3</sup>
	63.15 kg	56.77 kg	56.77 kg	19.78 kg	31.05 kg
	-	-	-	-	-
	57 x 29 x 100 cm	61 x 29 x 116 cm	61 x 29 x 116 cm	31 x 31 x 90 cm	37 x 31 x 94 cm
	4	4	4	12	6
	340 / color box	275 / color box	275 / color box	653 / color box	526 / color box



Item No.	3EXB0192	3EXB0193
Approximate set-up size	4.27 m x 1.07 m	4.88 m x 1.22 m
Water capacity (80 %)	13.2 m <sup>3</sup>	19.7 m <sup>3</sup>
Weight	50.44 kg	67.69 kg
Filter pump	-	-
Size of box (L x W x H)	65 x 29 x 100 cm	62 x 36 x 116 cm
Pcs on a palette 120 x 80 x 180 cm	4	4
40" cont. /pcs	297 / color box	218 / color box

**Material**


Durable, heavy-gauge PVC Plastic and Polyester Mesh. Anti-slip flooring is prefabricated in the base of the liner. A separate laminated band around the base of the liner provides additional wall support. Suction and return fittings included.



ELITE FRAME POOLS

**ELITE - WICKER FRAME**

Item No.	3EXB0196	3EXB0195	3EXB0198	3EXB0197	3EXB0200	3EXB0199
Type	WICKER LIGHT	WICKER DARK	WICKER LIGHT	WICKER DARK	WICKER LIGHT	WICKER DARK
Approximate set-up size	4.27 m x 1.07 m	4.27 m x 1.07 m	4.88 m x 1.22 m	4.88 m x 1.22 m	5.49 m x 1.32 m	5.49 m x 1.32 m
Water capacity (80 %)	13 m <sup>3</sup>	13 m <sup>3</sup>	20 m <sup>3</sup>	20 m <sup>3</sup>	27 m <sup>3</sup>	27 m <sup>3</sup>
Weight	50.44 kg	50.44 kg	67.69 kg	67.69 kg	85.29 kg	85.29 kg
Filter pump	-	-	-	-	-	-
Size of box (L x W x H)	65 x 29 x 100 cm	65 x 29 x 100 cm	62 x 36 x 116 cm	62 x 36 x 116 cm	67 x 38 x 125 cm	67 x 38 x 125 cm
Pcs on a palette 120 x 80 x 180 cm	4	4	3	3	3	3
40" cont. /pcs	297 / color box	297 / color box	218 / color box	218 / color box	177 / standard box	177 / standard box



**Material**

Durable, heavy-gauge PVC and Polyester Mesh. Anti-slip flooring is prefabricated in the base of the liner. A separate laminated band around the base of the liner provides additional wall support.



WICKER LIGHT




WICKER DARK

# ELITE METAL FRAME RECTANGULAR

**SWING® POOLS**

<b>Item No.</b>	<b>3EXB0208</b>
<b>Approximate set-up size</b>	5.49 m x 2.74 m x 1.32 m
<b>Water capacity (80 %)</b>	18 m <sup>3</sup>
<b>Weight</b>	97 kg
<b>Filter pump</b>	-
<b>Size of box (L x W x H)</b>	66 x 44 x 155 cm
<b>Pcs on a palette 120 x 80 x 180 cm</b>	3
<b>40" cont. /pcs</b>	129 / standard box

**SUPER DURABLE**  
Triple-layer Material



## Material

Durable, heavy-gauge PVC Plastic and Polyester Mesh. Anti-slip flooring is prefabricated in the base of the liner. A separate laminated band around the base of the liner provides additional wall support.



## RECOMMENDED ACCESSORIES

### FILTERS

For pool up to	Model	Item No.
for all SWING® pool models	SKIMMER Hand-up Swing®	3BTE0456
5 m <sup>3</sup>	RP350 Cartridge filter pump 230 V - 1.3 m <sup>3</sup>	3EXX0142
5 m <sup>3</sup>	RP350 Cartridge filter pump 12 V - 1.2 m <sup>3</sup>	3EXX0143
5 m <sup>3</sup>	SFS350 SkimmerPlus™ filter pump 12 V - 1.2 m <sup>3</sup>	3EXX0146
6 m <sup>3</sup>	Sand filter pump - 2 m <sup>3</sup>	3EXX0148
6 m <sup>3</sup>	Sand filter pump CLEAR 2 - 2 m <sup>3</sup>	3EXB0277
15 m <sup>3</sup>	RX600 Cartridge filter pump 12 V - 2.2 m <sup>3</sup>	3EXX0145
15 m <sup>3</sup>	Swing Cartridge filter pump 230 V - 3m <sup>3</sup> /h	3BTE0397
15 m <sup>3</sup>	SFX600 SkimmerPlus™ filter pump 12 V - 2.2 m <sup>3</sup>	3EXX0147
15 m <sup>3</sup>	Sand filter pump - 4 m <sup>3</sup>	3EXX0149
15 m <sup>3</sup>	Sand filter pump CLEAR 4 - 4 m <sup>3</sup>	3EXB0278
20 m <sup>3</sup>	Sand filter pump CLEAR 5 - 5 m <sup>3</sup>	3EXX0342

### LADDERS

For pool up to	Model	Item No.
0.95 m height	LADDER 3-steps / varnished	3EXX0173
0.95 m height	SAFETY LADDER 3-steps / varnished	3EXX0176
0.95 m height	LADDER 3-steps / stainless steel	3EXX0151
0.95 m height	SAFETY LADDER 3-steps / stainless steel	3EXX0154
1.10 m height	LADDER 3-steps / varnished	3EXX0174
1.10 m height	LADDER 3-steps / stainless steel	3EXX0152
1.10 m height	SAFETY LADDER 3-steps / varnished	3EXX0177
1.10 m height	SAFETY LADDER 3-steps / stainless steel	3EXX0155
1.22 m height	LADDER 4-steps / varnished	3EXX0175
1.22 m height	LADDER 4-steps / stainless steel	3EXX0153
1.22 m height	SAFETY LADDER 4-steps / varnished	3EXX0178
1.22 m height	SAFETY LADDER 4-steps / stainless steel	3EXX0156
1.25 m height	Stainless steel ladder "A"	3EXX0350
1.30 m height	Azuro De Luxe ladder 3-steps	3EXX0410

### SOLAR COVERS - thickness 180 microns

For pool	Dimensions	BLUE COLOR	BLACK/BLUE COLOR
3.05 m	2.05 m (for pools with inflatable top ring)	3BVZ0259	x
3.6 m	3.0 m (for pools with inflatable top ring)	3BVZ0260	x
3.6 m	3.6 m	3BVZ0026	3BVZ0276
4.6 m	4.0 m (for pools with inflatable top ring)	3BVZ0283	x
4.6 m	4.6 m	3BVZ0028	3BVZ0277
5.5 m	5.5 m	3BVZ0032	3BVZ0280
6.4 m	6.4 m	3BVZ0029	3BVZ0278
5.5 x 3.7 m	5.5 x 3.7 m	3BVZ0033	3BVZ0281
7.3 x 3.7 m	7.3 x 3.7 m	3BVZ0034	3BVZ0282
9.1 x 4.6 m	9.1 x 4.6 m	3BVZ0030	3BVZ0279

### FELT UNDERLAY

For pool	Model	Item No.
3.05 m	square 3.10 x 3.10 m	3BPZ0207
3.6 m	square 3.80 x 3.80 m	3BPZ0208
3.6 m	round 3.6 m	3BPZ0019
4.6 m	square 4.80 x 4.80 m	3BPZ0221
4.6 m	round 4.6 m	3BPZ0020
5.5 m	round 5.5 m	3BPZ0021
6.4 m	round 6.4 m	3BPZ0064
5.5 x 3.7 m	oval 5.5 x 3.7 m	3BPZ0022
7.3 x 3.7 m	oval 7.3 x 3.7 m	3BPZ0023
9.1 x 4.6 m	oval 9.1 x 4.6 m	3BPZ0065

### POOL COVERS

For pool	Item No.
2.44 m	3EXX0129
3.05 m	3EXX0130
3.66 m	3EXX0131
4.57 m	3EXX0132
5.49 m	3EXX0133
4.57 m x 2.74 m	3EXX0140
5.49 m x 3.66 m	3EXX0141
3.05 m - frame pool	3EXX0134
3.66 m - frame pool	3EXX0135
4.26 m - frame pool	3EXX0136
4.57 m - frame pool	3EXX0137
4.88 m - frame pool	3EXX0138
5.49 m - frame pool	3EXX0139
5.49 m x 2.74 m - rectangular frame pool	3EXX0242

### OTHER ACCESSORIES

Model	Item No.
Electric heater - 3.7 m <sup>3</sup> /h	3BTE0483
Chlorine dispenser - for sand or cartridge filtration (up to 3.7 m <sup>3</sup> /h)	3BTE0484

# AZURO POOLS

## WALL STRUCTURE



### AZURO BLUE / WHITE

- 1 COLOR WHITE
- 2 PROTECTIVE STEEL VARNISH
- 3 ZINC BASECOAT
- 4 STEEL
- 5 ZINC BASECOAT
- 6 PRIMARY COLOR
- 7 COLOR BLUE

Wall:



Blue / White  
0.3 mm




1 2 3 4 5 6 7

### AZURO STONE

- 1 DEKORATIVE COLOR
- 2 PROTECTIVE STEEL VARNISH
- 3 ZINC BASECOAT
- 4 STEEL
- 5 ZINC BASECOAT
- 6 PRIMARY COLOR
- 7 STONE PATTERN

Wall:



Stone 0.4 mm



1 2 3 4 5 6 7

### AZURO RATTAN

- 1 DEKORATIVE COLOR
- 2 PROTECTIVE STEEL VARNISH
- 3 ZINC BASECOAT
- 4 STEEL
- 5 ZINC BASECOAT
- 6 PRIMARY COLOR
- 7 RATTAN PATTERN

Wall:



Rattan 0.4 mm



1 2 3 4 5 6 7

### AZURO WOOD VARIO

- 1 DEKORATIVE COLOR
- 2 PROTECTIVE STEEL VARNISH
- 3 ZINC BASECOAT
- 4 STEEL
- 5 ZINC BASECOAT
- 6 COLOR WOOD BROWN
- 7 DEKORATIVE COLOR
- 8 COATING VARNISH

Wall:



Wood 0.4 mm



1 2 3 4 5 6 7 8





**Specifications:**




above ground pool

double coated wall



BLUE / WHITE



6 pcs on plt



ALL in 1 box

**AZURO 240 - 2.4 x 0.9 m**

**Azuro 300 - 3.6 x 0.9 m**

**Azuro 301 - 4.6 x 0.9 m**

Item No.	3EXB0286	3EXB0285	3EXB0147	3EXB0136	3EXB0284	3EXB0148	3EXB0283	3EXB0288
<b>Capacity</b>	4 m <sup>3</sup>	4 m <sup>3</sup>	4 m <sup>3</sup>	9 m <sup>3</sup>	9 m <sup>3</sup>	9 m <sup>3</sup>	15 m <sup>3</sup>	15 m <sup>3</sup>
<b>Wall</b>	blue-white 0.3 mm	blue-white 0.3 mm	blue-white 0.3 mm	blue-white 0.3 mm	blue-white 0.3 mm	blue-white 0.3 mm	blue-white 0.3 mm	blue-white 0.3 mm
<b>Liner</b>	lagoon 0.225 mm	lagoon 0.225 mm	lagoon 0.225 mm	lagoon 0.225 mm	lagoon 0.225 mm	lagoon 0.225 mm	lagoon 0.225 mm	lagoon 0.225 mm
<b>Ladder</b>	3st-ladder	3st-ladder	3st-ladder	3st-ladder	3st-ladder	3st-ladder	3st-ladder	3st-ladder
<b>Filter</b>	-	-	skimfilter 2000	-	skimfilter 2000	skimmer	skimfilter 2000	-
<b>Holes</b>	-	with holes in axis	-	with holes in axis	-	with holes in axis	-	with holes in axis
<b>Top/bottom rails</b>	plastic	plastic	plastic	plastic	plastic	plastic	plastic	plastic
<b>Verticals</b>	-	-	-	-	-	-	-	-




**Specifications:**



above ground pool




in-ground pool



up to 6 pcs on plt

**Wall:**



Rattan decor

	<b>AZURO 300</b> <b>3.6 x 0.9 m</b>	<b>AZURO 400 DL</b> <b>3.6 x 1.1 m</b>	<b>AZURO</b> <b>3.5 X 1.2 m</b>	<b>AZURO 402 DL</b> <b>4.6 x 1.2 m</b>	<b>AZURO</b> <b>5.0 x 1.2 m</b>
<b>Item No.</b>	<b>3EXB0335</b>	<b>3EXB0336</b>	<b>3EXB0337</b>	<b>3EXB0338</b>	<b>3EXB0339</b>
<b>Capacity</b>	9 m <sup>3</sup>	11 m <sup>3</sup>	11 m <sup>3</sup>	20 m <sup>3</sup>	24 m <sup>3</sup>
<b>Pcs/Plt</b>	6	6	6	4	6
<b>Pool in</b>	1 box	1 box	1 box	1 box	2 boxes
<b>Wall</b>	rattan decor 0.4 mm	rattan decor 0.4 mm	rattan decor 0.4 mm	rattan decor 0.4 mm	rattan decor 0.4 mm
<b>Liner</b>	lagoon 0.5 mm	lagoon 0.4 mm	lagoon 0.5 mm	lagoon 0.5 mm	lagoon 0.5 mm
<b>Ladder</b>	-	-	-	-	-
<b>Filter</b>	-	-	-	-	-
<b>Holes</b>	with off-axis holes	with off-axis holes	with off-axis holes	with off-axis holes	with off-axis holes
<b>Top/bottom rails</b>	plastic	plastic	plastic	plastic	plastic
<b>Verticals</b>	-	-	-	-	-




### Specifications:



above ground pool




in-ground pool



up to  
6 pcs on plt

### Wall:



Stone decor

	<b>AZURO 300</b> 3.6 x 0.9 m	<b>AZURO</b> 3.6 x 1.2 m	<b>AZURO</b> 4.0 x 1.2 m	<b>AZURO 402 DL</b> 4.6 x 1.2 m	<b>AZURO</b> 5.0 x 1.2 m	<b>AZURO 404 DL</b> 5.5 x 3.7 x 1.2 m
Item No.	3EXB0299	3EXB0300	3EXB0301	3EXB0284	3EXB0303	3EXB0303
<b>Capacity</b>	9 m <sup>3</sup>	12 m <sup>3</sup>	15 m <sup>3</sup>	20 m <sup>3</sup>	24 m <sup>3</sup>	21 m <sup>3</sup>
<b>Pcs/Plt</b>	6	4	4	4	6	3
<b>Pool in</b>	1 box	1 box	1 box	1 box	2 boxes	4 boxes
<b>Wall</b>	stone decor 0.4 mm	stone decor 0.4 mm	stone decor 0.4 mm	stone decor 0.4 mm	stone decor 0.4 mm	stone decor 0.4 mm
<b>Liner</b>	lagoon 0.5 mm	lagoon 0.4 mm - 0.5 mm	lagoon 0.5 mm	lagoon 0.5 mm	lagoon 0.5 mm	lagoon 0.5 mm
<b>Ladder</b>	-	-	-	-	-	-
<b>Filter</b>	-	-	-	-	-	-
<b>Holes</b>	with off-axis holes	with holes in axis	with off-axis holes	with off-axis holes	with off-axis holes	-
<b>Top/bottom rails</b>	plastic	plastic	plastic	plastic	plastic	steel
<b>Verticals</b>	-	-	-	-	-	steel



**Liner options:**



Swirl



Mistry



Mosaic



Pebbles


**Specifications:**



above ground pool



in-ground pool



up to 6 pcs on plt

**Wall:**



Wood decor

	<b>AZURO VAR 400 DL</b> 3.6 x 1.1 m	<b>AZURO VAR 401 DL</b> 4.6 x 1.1 m	<b>AZURO VAR 402 DL</b> 4.6 x 1.2 m	<b>AZURO VAR 403 DL</b> 5.5 x 1.2 m	<b>AZURO VAR 406 DL</b> 6.4 x 1.2 m
Item No.	<b>3EXB0439</b>	<b>3EXB0440</b>	<b>3EXB0441</b>	<b>3EXB0351</b>	<b>3EXB0354</b>
<b>Capacity</b>	11 m <sup>3</sup>	18 m <sup>3</sup>	20 m <sup>3</sup>	28 m <sup>3</sup>	39 m <sup>3</sup>
<b>Pcs/Plt</b>	6	6	6	3	3
<b>Pool in</b>	1 box	1 box	1 box	2 boxes	2 boxes
<b>Wall</b>	wood decor 0.4 mm	wood decor 0.4 mm	wood decor 0.4 mm	wood decor 0.4 mm	wood decor 0.4 mm
<b>Liner</b>	-	-	-	-	-
<b>Ladder</b>	-	-	-	-	-
<b>Filter</b>	-	-	-	-	-
<b>Holes</b>	with off-axis holes	with off-axis holes	with off-axis holes	with off-axis holes	with off-axis holes
<b>Top/bottom rails</b>	plastic	plastic	plastic	steel	steel
<b>Verticals</b>	-	-	-	steel	steel
<b>Choice the liners according your request</b>	<b>3BPZ0267</b> Mistry liner - 0.35 mm	<b>3BPZ0268</b> Mistry liner - 0.35 mm	<b>3BPZ0269</b> Mistry liner - 0.35 mm	<b>3BPZ0270</b> Mistry liner - 0.35 mm	<b>3BPZ0273</b> Mistry liner - 0.35 mm
	<b>3BPZ0222</b> Mosaic liner - 0.30 mm	<b>3BPZ0223</b> Mosaic liner - 0.30 mm	<b>3BPZ0224</b> Mosaic liner - 0.30 mm	<b>3BPZ0225</b> Mosaic liner - 0.30 mm	<b>3BPZ0228</b> Mosaic liner - 0.30 mm
	<b>3BPZ0239</b> Pebbles liner - 0.30 mm	<b>3BPZ0240</b> Pebbles liner - 0.30 mm	<b>3BPZ0241</b> Pebbles liner - 0.30 mm	<b>3BPZ0242</b> Pebbles liner - 0.30 mm	<b>3BPZ0245</b> Pebbles liner - 0.30 mm
	-	<b>3BPZ0070</b> Swirl liner - 0.35 mm	-	<b>3BPZ0072</b> Swirl liner - 0.35 mm	<b>3BPZ0075</b> Swirl liner - 0.35 mm

# AZURO WOOD VARIO oval



## AZURO POOLS



### Liner options:




Swirl



Mistry



Mosaic



Pebbles


### Specifications:



above ground pool



in-ground pool



3 pcs on plt

### Wall:




Wood decor

	AZURO VAR 404 DL 5.5 x 3.7 x 1.2 m	AZURO VAR 405 DL 7.3 x 3.7 x 1.2 m	AZURO VAR 407 DL 9.1 x 4.6 x 1.2 m
Item No.	3EXB0352	3EXB0353	3EXB0355
Capacity	21 m <sup>3</sup>	29 m <sup>3</sup>	45 m <sup>3</sup>
Pcs/Plt	3	3	3
Pool in	4 boxes	4 boxes	4 boxes
Wall	wood decor 0.4 mm	wood decor 0.4 mm	wood decor 0.4 mm
Liner	-	-	-
Ladder	-	-	-
Filter	-	-	-
holes	with off-axis holes	with off-axis holes	with off-axis holes
Top/bottom rails	steel	steel	steel
Verticals	steel	steel	steel
Choice the liners according your request	3BPZ0271 Mistry liner - 0.35 mm	3BPZ0272 Mistry liner - 0.35 mm	3BPZ0274 Mistry liner - 0.35 mm
	3BPZ0226 Mosaic liner - 0.30 mm	3BPZ0227 Mosaic liner - 0.30 mm	3BPZ0229 Mosaic liner - 0.30 mm
	3BPZ0243 Pebbles liner - 0.30 mm	3BPZ0244 Pebbles liner - 0.30 mm	3BPZ0246 Pebbles liner - 0.30 mm
	3BPZ0073 Swirl liner - 0.35 mm	3BPZ0074 Swirl liner - 0.35 mm	3BPZ0076 Swirl liner - 0.35 mm

## RECOMMENDED ACCESSORIES

Model	Capacity	Skimmer	Filter	Solar cover	Debris cover	Felt underlay	Heat pump + 3BTZ0039 + 3BTE0267	Pool ladder
<b>Azuro 240 - 2.4 x 0.9 m</b>	<b>4 m<sup>3</sup></b>	X	*	*	*	*	3EXB0399	3EXX0176
<b>Azuro 300 - 3.6 x 0.9 m</b>	<b>9 m<sup>3</sup></b>	*	*	3BVZ0026	3EXX0352	3BPZ0019	3EXB0399	3EXX0176
<b>Azuro 301 - 4.6 x 0.9 m</b>	<b>15 m<sup>3</sup></b>	*	*	3BVZ0028	3EXX0353	3BPZ0020	3EXB0345	3EXX0176
<b>Azuro 400 DL - 3.6 x 1.1 m</b>	<b>11 m<sup>3</sup></b>	3EXX0474	3EXB0278	3BVZ0026	3EXX0352	3BPZ0019	3EXB0399	3EXX0177
<b>Azuro 3.5 x 1.2 m</b>	<b>11 m<sup>3</sup></b>	3EXX0474	3EXB0278	*	3EXX0352	3BPZ0019	3EXB0399	3EXX0178
<b>Azuro 3.6 x 1.2 m</b>	<b>12 m<sup>3</sup></b>	3EXX0474	3EXB0278	3BVZ0026	3EXX0352	3BPZ0019	3EXB0345	3EXX0178
<b>Azuro 4.0 x 1.2 m</b>	<b>15 m<sup>3</sup></b>	3EXX0474	3EXB0019	*	*	*	3EXB0345	3EXX0178
<b>Azuro 402 DL - 4.6 x 1.2 m</b>	<b>20 m<sup>3</sup></b>	3EXX0474	3EXB0019	3BVZ0028	3EXX0353	3BPZ0020	3EXB0346	3EXX0178
<b>Azuro 5.0 x 1.2 m</b>	<b>24 m<sup>3</sup></b>	3EXX0474	3EXB0020	*	3EXX0072	*	3EXB0346	3EXX0178
<b>Azuro 404 DL - 5.5 x 3.7 x 1.2 m</b>	<b>21 m<sup>3</sup></b>	3EXX0474	3EXB0020	3BVZ0033	3EXX0355	3BPZ0022	3EXB0346	3EXX0178
<b>Azuro VAR 400 DL - 3.6 x 1.1 m</b>	<b>11 m<sup>3</sup></b>	3EXX0474	3EXB0278	3BVZ0026	3EXX0352	3BPZ0019	3EXB0399	3EXX0177
<b>Azuro VAR 401 DL - 4.6 x 1.1 m</b>	<b>18 m<sup>3</sup></b>	3EXX0474	3EXB0019	3BVZ0028	3EXX0353	3BPZ0020	3EXB0345	3EXX0177
<b>Azuro VAR 402 DL - 4.6 x 1.2 m</b>	<b>20 m<sup>3</sup></b>	3EXX0474	3EXB0019	3BVZ0028	3EXX0353	3BPZ0020	3EXB0346	3EXX0178
<b>Azuro VAR 403 DL - 5.5 x 1.2 m</b>	<b>28 m<sup>3</sup></b>	3EXX0474	3EXB0020	3BVZ0032	3EXX0354	3BPZ0021	3EXB0346	3EXX0178
<b>Azuro VAR 406 DL - 6.4 x 1.2 m</b>	<b>39 m<sup>3</sup></b>	3EXX0474	3EXB0022	3BVZ0029	3EXX0357	3BPZ0064	3EXB0347	3EXX0178
<b>Azuro VAR 404 DL - 5.5 x 3.7 x 1.2 m</b>	<b>21 m<sup>3</sup></b>	3EXX0474	3EXB0020	3BVZ0033	3EXX0355	3BPZ0022	3EXB0346	3EXX0178
<b>Azuro VAR 405 DL - 7.3 x 3.7 x 1.2 m</b>	<b>29 m<sup>3</sup></b>	3EXX0474	3EXB0021	3BVZ0034	3EXX0356	3BPZ0023	3EXB0346	3EXX0178
<b>Azuro VAR 407 DL - 9.1 x 4.6 x 1.2 m</b>	<b>45 m<sup>3</sup></b>	3EXX0474	3EXB0022	3BVZ0030	3EXX0358	3BPZ0065	3EXB0347	3EXX0178

\* - see catalogue / price list for more references and possible options



# IBIZA POOLS


STEEL WALL POOLS





## ROUND Ibiza pools

- > Easy embedding into the ground
- > Self supporting construction – no need of supporting walls



## ROUND POOL DESIGNS

### INSTALATION




height 1.2 m



height 1.2 - 1.5 m




height 1.2 - 1.5 m



### Dimensions and volume of pool water:

Dimensions	A1 (cm)	A (cm)	B (cm)	C (cm)	D (m <sup>3</sup> )
Ø 3.6 x 1.2 / 1.5 m	Ø 360	Ø 364	120 / 150	105 / 135	10.7 / 13.7
Ø 4.0 x 1.2 / 1.5 m	Ø 400	Ø 404	120 / 150	105 / 135	13.2 / 17.0
Ø 4.6 x 1.2 / 1.5 m	Ø 460	Ø 464	120 / 150	105 / 135	17.5 / 22.5
Ø 5.0 x 1.2 / 1.5 m	Ø 500	Ø 504	120 / 150	105 / 135	20.6 / 26.5
Ø 6.0 x 1.2 / 1.5 m	Ø 600	Ø 604	120 / 150	105 / 135	29.7 / 38.2







**OVAL Ibiza pools**

- > Necessary to build supporting walls
- > Necessary to place on concrete base plate



**OVAL POOL DESIGNS**

**INSTALATION**



**Dimensions and volume of pool water:**

Dimensions	A1 (cm)	A (cm)	B (cm)	C (cm)	D (m³)	E1 [cm]	E [cm]
<b>3.2 x 5.25 x 1.2 / 1.5 m</b>	525	529	120 / 150	105 / 135	15.5 / 20.0	320	324
<b>3.2 x 6.0 x 1.2 / 1.5 m</b>	600	604	120 / 150	105 / 135	18.0 / 23.0	320	324
<b>3.5 x 7.0 x 1.2 / 1.5 m</b>	700	704	120 / 150	105 / 135	23.0 / 30.0	350	354
<b>4.16 x 8.0 x 1.2 / 1.5 m</b>	800	804	120 / 150	105 / 135	31.0 / 40.0	416	420
<b>4.16 x 10.0 x 1.2 / 1.5 m</b>	1 000	1004	120 / 150	105 / 135	40.0 / 51.5	416	420
<b>6.0 x 12.0 x 1.2 / 1.5 m</b>	1 200	1204	120 / 150	105 / 135	67.5 / 87.0	600	604

# LINERS

- > High quality liner with UV stabilizer
- > Protection against chemical action

TYPE P1



BLUE 0.80 mm

**Blue liner height 1.2 m / thickness 0.8 mm**

For pool	Item No.
3.6 m	3EXX0362
4 m	3EXX0373
4.6 m	3EXX0363
5 m	3EXX0374
6 m	3EXX0375
3.2 x 5.25 m	3EXX0365
3.2 x 6 m	3EXX0366
3.5 x 7 m	3EXX0367
4.16 x 8 m	3EXX0368

**Blue liner height 1.5 m / thickness 0.8 mm**

For pool	Item No.
4 m	3EXX0376
5 m	3EXX0377
6 m	3EXX0378
3.2 x 5.25 m	3EXX0369
3.2 x 6 m	3EXX0370
3.5 x 7 m	3EXX0371
4.16 x 8 m	3EXX0372
4.16 x 10 m	3EXX0361
6 x 12 m	3EXX0360

TYPE P1



MOSAIC 0.60 mm

**Mosaic liner height 1.2 m / thickness 0.6 mm**

For pool	Item No.
4 m	3BZP1087
5 m	3BZP1088
6 m	3BZP1089
3.2 x 5.25 m	3BZP1079
3.2 x 6 m	3BZP1080
3.5 x 7 m	3BZP1081
4.16 x 8 m	3BZP1082

**Mosaic liner height 1.5 m / thickness 0.6 mm**

For pool	Item No.
4 m	3BZP1090
5 m	3BZP1091
6 m	3BZP1092
3.2 x 5.25 m	3BZP1083
3.2 x 6 m	3BZP1084
3.5 x 7 m	3BZP1085
4.16 x 8 m	3BZP1086

# TOP COMBI RAIL

- > For liner 0.60 – 0.80 mm
- > Material – PVC
- > Color – BLUE
- > 1 HAND/TOP rails = COMBI P1/P3

P1/P3





TYPE P1



TYPE P3



Steel wall could be prepared with holes for small skimmer and inlet.



## RECOMMENDED ACCESSORIES



CHLORINATOR 4 kg



SAND 25 kg



SAND FILTER



HOSE



JET RECIRCULATION



COMPLETE LED LIGHT



LADDER



SKIMMER with a standard inlet



TRANSFORMER for 1 LED light - 50 W




BOX FOR A LIGHT

# MERCURY POOLS

composite pools with variable depth and shape (HDG panels)



Profile of the pool floor



# MERCURY POOLS



## ALGARVE



**Size:**


- 5.00 x 3.00 x 1.40 m
- 6.00 x 3.00 x 1.40 m
- 7.00 x 3.50 x 1.40 m
- 8.00 x 3.50 x 1.40 m
- 9.00 x 4.50 x 1.40 m
- 10.00 x 5.00 x 1.40 m

**Eventually depth:**

1.10 - 1.40 m



## PORTO




**Size:**

- 5.00 x 3.00 x 1.40 m
- 6.00 x 3.00 x 1.40 m
- 7.00 x 3.50 x 1.40 m
- 8.00 x 3.50 x 1.40 m
- 9.00 x 4.50 x 1.40 m
- 10.00 x 5.00 x 1.40 m

**Eventually depth:**

1.10 - 1.40 m

### Color design\*




\*Sample liners - more than 30 patterns here

## MERCURY POOLS



### FARO



#### Size:

5.00 x 3.00 x 1.40 m

6.00 x 3.00 x 1.40 m

7.00 x 3.50 x 1.40 m

8.00 x 3.50 x 1.40 m

#### Eventually depth:

1.10 - 1.40 m



### MADEIRA



#### Size:

5.00 x 3.00 x 1.40 m

6.00 x 3.00 x 1.40 m

7.00 x 3.50 x 1.40 m

8.00 x 3.50 x 1.40 m

9.00 x 4.50 x 1.40 m

10.00 x 5.00 x 1.40 m

#### Eventually depth:

1.10 - 1.40 m






# MÉTROPOLE POOLS

design-composite pools (Composite panels)


Profile of the pool floor



# MÉTROPOLE POOLS



## MONACO



**Size:**

8.23 x 3.66 x 1.02 - 1.54 m  
 9.45 x 3.66 x 1.02 - 1.54 m  
 10.67 x 4.27 x 1.02 - 1.54 m




## PROVENCE



**Size:**

6.40 x 3.35 x 1.02 - 1.54 m  
 7.62 x 3.35 x 1.02 - 1.54 m  
 8.23 x 3.96 x 1.02 - 1.54 m  
 9.15 x 3.96 x 1.02 - 1.54 m

**Color design\***



\*Sample liners - more than 30 patterns here





CANNES



**Size:**

- 5.79 x 3.35 x 1.02 - 1.54 m
- 6.40 x 3.35 x 1.02 - 1.54 m
- 7.62 x 3.35 x 1.02 - 1.54 m
- 8.23 x 3.35 x 1.02 - 1.54 m
- 9.15 x 3.96 x 1.02 - 1.54 m



SAINT TROPEZ



**Size:**

- 7.62 x 4.39 x 1.02 - 1.54 m
- 8.53 x 5.03 x 1.02 - 1.54 m




# CORAL POOLS

Glass - composite pools




## Wall structure



### CORAL

- ① Top paint
- ② GLASSROCK barrier coat
- ③ Vinyl ester resin
- ④ Glass composite material
- ⑤ Glass microbeads
- ⑥ Topcoat



### CORAL PREMIUM

- ① Top paint
- ② GLASSROCK barrier coat
- ③ Vinyl ester resin
- ④ Glass composite material
- ⑤ Glass microbeads
- ⑥ Ceramic powder
- ⑦ Topcoat

## Available color




Atlantic Blue



Tropical Blue



Grey Rock




Sand Rock

## CORAL POOLS



OLYMP

4.5 x 3.0 x 1.2 m



SMART

4.6 x 3.0 x 1.2 m



FENIX

6.0 x 3.0 x 1.2 m



## CORAL POOLS



IKAROS

6.0 x 3.0 x 1.4 m




PEGAS

6.2 x 3.1 x 1.4 m



LYRA

6.18 x 3.14 x 1.4 m




## CORAL POOLS



### PERSEUS

6.0 x 3.2 x 1.4 m



### ORION

7.5 x 3.5 x 1.5 m



### GEMINI

8.2 x 3.5 x 1.5 m



# COMPACT POOLS

Ceramic pools



## Wall structure

- ① Outside "topcoat" protective reinforced layer
- ② Multilayer reinforced high strength core
- ③ Reinforced ceramic buffer layer
- ④ 3D surface finish with protective gel



## Available color



Caribbean Blue




Sand Beach



Bahama Blue



Santorini Grey



Tenerife Grey

## COMPACT POOLS



OPAL

4.6 x 3.0 x 1.2 m




SAPHIRE

6.0 x 3.0 x 1.2 m




SMARAGD

6.0 x 3.2 x 1.4 m



AMETYST

6.18 x 3.14 x 1.4 m



## COMPACT POOLS




DIAMANT

7.20 x 3.42 x 1.4 m




TOPAZ

7.50 x 3.52 x 1.4 m




RUBIN

8.20 x 3.54 x 1.5 m



ONYX

8.13 x 3.63 x 1.5 m







Technische Abteilung

# POOL ENCLOSURES



We offer standard Trend and Compact models that we keep always on stock for immediate delivery, because of pre-production they are not modifiable. They are packed on a palette (pre-assembled).



Trend



Tracks with walkable cover



Compact

**Colors of polycarbonate:**



Transparent 4 mm



Standard 10 mm

**Colors of profiles:**



Elox



Anthracite

Model	Internal width, length and maximum height (m)
<b>Trend Olymp Side door</b>	3.20 x 4.60 x 1.03
<b>Trend 3</b>	3.32 x 6.42 x 1.11
<b>Trend 3 Side door</b>	3.32 x 6.42 x 1.11
<b>Trend Azuro 3</b>	3.94 x 6.42 x 1.32
<b>Trend Economic</b>	3.80 x 8.54 x 1.32
<b>Trend Economic Side door</b>	3.80 x 8.54 x 1.32

Model	Internal width, length and maximum height (m)
<b>Trend Azuro 4</b>	3.94 x 8.54 x 1.40
<b>Trend 4</b>	4.28 x 8.54 x 1.51
<b>Trend 5</b>	5.14 x 10.66 x 1.78
<b>Compact 3-330 Side door</b>	3.30 x 6.42 x 0.72
<b>Compact 3-390 Side door</b>	3.90 x 6.42 x 0.75
<b>Compact 4-375 Side door</b>	3.75 x 8.54 x 0.75
<b>Compact 4-430 Side door</b>	4.30 x 8.54 x 0.89

## TECHNICAL DETAILS

### Types of track:



Track for two-sided shift




Tracks with walkable cover

Tracks without walkable cover

### Types of doors:



Door without threshold



Flap



Door with threshold




Sliding side door



Shunting side door

### Colors of polycarbonate:



Transparent 4 mm



Standard 10 mm



Smoke 10 mm

### Colors of profiles:



Elox



Anthracite

### Technical parameters

- > Aluminium alloy construction (thickness 40 x 60 mm and 40 x 80 mm)
- > Elox finish surface
- > Rails for moving segments on both sides
- > Maintenance-free wheel bearings
- > Transparent polycarbonate (thickness 10 mm) – UV resistant from both sides
- > Clear polycarbonate 4 mm (Plexi)
- > Lockable door
- > Lockable individual segments
- > Packing on a palette



ASTRA ULTRA LOW

- > Width: 3.3/3.8/4.3/4.5 m
- > Length: 4.2–12.6 m
- > No door available
- > Necessary to remove snow



COMPACT LOW

- > Width: 3.72–6.0 m
- > Length: 4.3–17.0 m
- > Side sliding door available
- > Side shunting door available



COMPACT HIGH

- > Width: 4.0–6.0 m
- > Length: 4.2–12.6 m
- > Side sliding door available
- > Side shunting door available



# CUSTOM-MADE MODELS

## POOL ENCLOSURES



### TREND STANDARD

- > Width: 3.0–8.0 m
- > Length: 4.2–16.8 m
- > Side sliding door available
- > Side shunting door available



### TREND INCREASED

- > Width: 3.0–8.0 m
- > Length: 4.2–16.8 m
- > Side sliding door available
- > Side shunting door available



### TREND MAXIMUM

- > Width: 3.0–8.0 m
- > Length: 4.2–16.8 m
- > Side sliding door available
- > Side shunting door available





### APOLLO STRAIGHT

- > Width: 3,5–4.5 m
- > Length: 4.3–17.02 m
- > Side shunting door available
- > Left/Right orientation available



### APOLLO OBLIQUE

- > Width: 4.0–5.5 m
- > Length: 4.2–16.8 m
- > Side shunting door available
- > Left/Right orientation available



# CUSTOM-MADE MODELS

## POOL ENCLOSURES



### IMPERIAL LOW

- > Width: 3.3/3.8/4.3/4.5/5 m
- > Length: 4.3–12.7 m
- > Side shunting door available



### IMPERIAL MEDIUM

- > Width: 3.5–6 m
- > Length: 4.3–17.02 m
- > Side shunting door available



### IMPERIAL HIGH

- > Width: 4.0–6 m
- > Length: 4.3–16.8 m
- > Side shunting door available





# ACCESSORIES

HEAT PUMPS / SOLAR PROGRAM / POOL FILTERS  
/ LADDERS / SOLAR COVER / POOL LINERS  
/ AQUA JET STREAM / CLEANERS  
/ POOL CHEMICALS / SOLAR  
SHOWERS / BOATS AND TOYS



## 2.5 - 14 KW

- > Warm water in any weather
- > 80 % of free heat
- > Extended swimming season up to 7 months
- > Easy handling and assembly
- > Eco-friendly way of heating
- > Modern design
- > Toshiba performance



**3EXB0399**

> Suitable for Azuro® and Swing® pools



**3EXB0345 - 3EXB0350**

## HEAT PUMPS

Model	AZURO 2.5 kW	BP-30WS	BP-50WS	PASWR-50
Item No.	3EXB0399	3EXB0345	3EXB0346	3EXB0207
Heating capacity	2.5 kW	3.1 kW	5 kW	5.03 kW
For pool up to	11 m <sup>3</sup>	18 m <sup>3</sup>	30 m <sup>3</sup>	30 m <sup>3</sup>
COP	4.2	6.2	6	5
Power input	0.59 kW	0.5 kW	0.82 kW	1.03 kW
Current	7.5-2.6 A	2.8 A	4 A	4.58 A
Power supply	230V / 50Hz	230 V/50 Hz	230 V/50 Hz	230V / 50Hz
Noise level	48 dB (A)	46 dB (A)	48 dB (A)	45 dB (A)
Heating exchanger	Titanium in PVC	Titanium in PVC	Titanium in PVC	Titanium in PVC
Coolant	R32	R32	R32	R32
Water flow volume	2 m <sup>3</sup> /h	3.5 m <sup>3</sup> /h	4 m <sup>3</sup> /h	2.3 m <sup>3</sup> /h
Pipe connection	32/38 + 50 mm	32/38 + 50 mm	32/38 + 50 mm	32/38 + 50 mm
Description	digital display	digital display	digital display	digital display, automatic defrost
Net Unit Size (L/W/H)	31 x 36 x 36.5 cm	64 x 26.5 x 49.5 cm	70 x 26.5 x 51.5 cm	79 x 32 x 58 cm
Carton size (L/W/H)	40 x 45.5 x 45 cm	73 x 31.5 x 52 cm	78 x 31.5 x 54 cm	81 x 34 x 59 cm
Net/Gross Weight	18/20 kg	29/32 kg	34/38 kg	41/43 kg
Quantity on palette	18 pcs	6 pcs	6 pcs	6 pcs

Model	BP-85WS	BP-100WS	BP-120WS	BP-140WS
Item No.	3EXB0347	3EXB0348	3EXB0349	3EXB0350
Heating capacity	8.5 kW	10 kW	12 kW	14 kW
For pool up to	50 m <sup>3</sup>	60 m <sup>3</sup>	70 m <sup>3</sup>	80 m <sup>3</sup>
COP	5.6	5.9	6	5.8
Power input	1.55 kW	1.8 kW	2 kW	2.4 kW
Current	7.3 A	8.3 A	9.5 A	11 A
Power supply	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
Noise level	50 dB (A)	52 dB (A)	52 dB (A)	53 dB (A)
Heating exchanger	Titanium in PVC	Titanium in PVC	Titanium in PVC	Titanium in PVC
Coolant	R32	R32	R32	R32
Water flow volume	5 m <sup>3</sup> /h	6 m <sup>3</sup> /h	7 m <sup>3</sup> /h	8 m <sup>3</sup> /h
Pipe connection	32/38 + 50 mm	32/38 + 50 mm	32/38 + 50 mm	32/38 + 50 mm
Description	digital display, automatic defrost	digital display, automatic defrost	digital display, automatic defrost	digital display, automatic defrost
Net Unit Size (L/W/H)	84.5 x 28.5 x 54 cm	90 x 30.5 x 61.5 cm	90 x 31 x 67 cm	96 x 33 x 72 cm
Carton size (L/W/H)	92.5 x 34 x 57 cm	99 x 39 x 65 cm	99 x 39 x 70 cm	105 x 41.5 x 75 cm
Net/Gross Weight	45/49 kg	54/58 kg	57/64 kg	62/67 kg
Quantity on palette	4 pcs	4 pcs	4 pcs	4 pcs



**3BTE0482**

## INVERTER TECHNOLOGY

- > Inverter technology will automatically vary the speed of the compressor and fan according to the temperature set and ambient temperature.
- > This maximises energy efficiency whilst keeping utility costs low, providing outstanding electrical savings by 30-50% in comparison with regular heat pump.

Model	BP-100HS-EI INVERTER
Item No.	3BTE0482
Heating capacity	10.5 kW
COP	4.65-14.6
Power input	1.8-0.20 kW
Current	8.5-0.9 A
Power supply	220 V / 50 Hz
Heating exchanger	Titanium in PVC
Coolant	900 g R410 A
Water flow volume	5 m <sup>3</sup> /h
For pools up to	60 m <sup>3</sup>
Pipe connection	50 mm
Noise level 1 m	41-51 dB (A)
Noise level 10 m	21-31 dB (A)
Weight	61 kg
Size	101 x 31 x 61 cm
Carton size	115 x 41 x 64 cm
Quantity on palette	4 pcs

## RECOMMENDED ACCESSORIES:

- 3BTZ0039** – Hose reduction 38/32mm for Heat pumps - 2pcs
- 3BTZ0040** – Cushioning pads for Heat pumps - 4pcs

### Heat pump cover

Item No.	3BTZ0041	3BTZ0042	3BTZ0043	3BTZ0044	3BTZ0046	3BTZ0047	3BTZ0045
For Heat pump	BP-30WS	BP-50WS	BP-85WS	BP-100WS	BP-120WS	BP-140WS	BP-100HS-EI




## SOLAR PROGRAM



### SOLAR PANELS 1.8 – 5.4 m<sup>2</sup>

Model	1.8 m <sup>2</sup>	3.6 m <sup>2</sup>	3.6 m <sup>2</sup>	5.4 m <sup>2</sup>
Item No.	3EXX0159	3EXX0158	3EXX0160	3EXX0161
Dimensions	0.6 x 3.0 m	0.6 x 6.0 m	1.2 x 3.0 m	1.2 x 4.5 m
For pools up to	15 m <sup>3</sup>	20 m <sup>3</sup>	20 m <sup>3</sup>	30 m <sup>3</sup>
Valve	-	-	-	-
Fitting included	yes	yes	yes	yes
Packing	39 x 39 x 85 cm / 3.5 kg	39 x 39 x 85 cm / 6.5 kg	39 x 39 x 145 cm / 6.5 kg	39 x 39 x 145 cm / 8.5 kg
Qty on plt	12 pcs/plt	12 pcs/plt	10 pcs/plt	10 pcs/plt



### RECOMMENDED ACCESSORIES:



Item No.	
3EXX0053	1-way bypass for solar panels
3EXX0470	3-way bypass for solar panels / heat pumps
3EXX0206	Connecting set for solar heating panel (sealings, clamps)
3BTE0437	Solar heating accessories (1-way bypass, elbows, clamps)

### SOLAR COLLECTOR LUX 800

- > Assembled solar collector
- > A pair of removable legs with connecting material included
- > Size: 80 x 120 cm



Model	Solar collector - LUX 800
Item No.	3EXX0259
Dimensions	119 x 79 cm
Packing	80 x 122.5 x 16.5 cm / 8.5 kg
Qty on plt	13 pcs / plt

### RECOMMENDED ACCESSORIES:

- Set for serial connection of panels**  
- used to connect multiple solar program together

3EXX0303




## FELT UNDERLAYS

Surface density 150-500g/m<sup>2</sup>



## FELT UNDERLAYS / COVERS

For pool	Item No.	Surface density	Dimensions
3.05 m	3BPZ0207	150g / m <sup>2</sup>	square 3.10 x 3.10 m / 3 kg
3.6 m	3BPZ0208	150g / m <sup>2</sup>	square 3.80 x 3.80 m / 5 kg
4.6 m	3BPZ0221	200g / m <sup>2</sup>	square 4.80 x 4.80 m / 6 kg
3.6 m	3BPZ0019	300g / m <sup>2</sup>	round 3.6 m / 3 kg
4.6 m	3BPZ0020	300g / m <sup>2</sup>	round 4.6 m / 5 kg
5.5 m	3BPZ0021	300g / m <sup>2</sup>	round 5.5 m / 6 kg
6.4 m	3BPZ0064	300g / m <sup>2</sup>	round 6.4 m / 8 kg
5.5 x 3.7 m	3BPZ0022	300g / m <sup>2</sup>	oval 5.5 x 3.7 m / 8 kg
7.3 x 3.7 m	3BPZ0023	300g / m <sup>2</sup>	oval 7.3 x 3.7 m / 9 kg
9.1 x 4.6 m	3BPZ0065	300g / m <sup>2</sup>	oval 9.1 x 4.6 m / 11 kg
all	3BPZ0025	500g / m <sup>2</sup>	roll 70 m. breadth 5 m



## DEBRIS COVERS + GUARD

For pool	Dimensions	blue/black color	green/black color	blue/black color
		Basic	Supreme	Premium
		Item No.		
3.2 m	round 3.8 m	x	3EXX0070	x
3.6 m	round 4.4 m	3EXX0095	3EXX0352	3EXX0450
4.2 m	round 4.9 m	x	3EXX0071	x
4.6 m	round 5.3 m	3EXX0096	3EXX0353	3EXX0451
5.0 m	round 5.8 m	x	3EXX0072	x
5.5 m	round 6.2 m	x	3EXX0354	3EXX0452
6.0 m	round 6.8 m	x	3EXX0073	x
6.4 m	round 7.1 m	x	3EXX0357	3EXX0453
5.3 x 3.2 m	oval 6.0 x 4.0 m	x	3EXX0105	x
5.5 x 3.7 m	oval 6.2 x 4.4 m	x	3EXX0355	3EXX0454
6.0 x 3.2 m	oval 6.8 x 4.0 m	x	3EXX0108	x
6.25 x 3.6 m	oval 7.0 x 4.4 m	x	3EXX0106	x
7.0 x 3.5 m	oval 7.8 x 4.3 m	x	3EXX0107	x
7.3 x 3.7 m	oval 8.0 x 4.4 m	x	3EXX0356	3EXX0455
8.0 x 4.0 m	oval 8.8 x 4.8 m	x	3EXX0109	x
9.1 x 4.6 m	oval 9.8 x 5.3 m	x	3EXX0358	3EXX0456



## SOLAR COVERS

Thickness 180 microns

For pool	Dimensions	BLUE COLOR	PLUS BLACK/BLUE COLOR
		Item No.	
3.05 m	2.05 m (for pools with inflatable top ring)	3BVZ0259	x
3.6 m	3.0 m (for pools with inflatable top ring)	3BVZ0260	x
3.6 m	3.6 m	3BVZ0026	3BVZ0276
4.6 m	4.6 m	3BVZ0028	3BVZ0277
5.5 m	5.5 m	3BVZ0032	3BVZ0280
6.4 m	6.4 m	3BVZ0029	3BVZ0278
5.5 x 3.7 m	5.5 x 3.7 m	3BVZ0033	3BVZ0281
7.3 x 3.7 m	7.3 x 3.7 m	3BVZ0034	3BVZ0282
9.1 x 4.6 m	9.1 x 4.6 m	3BVZ0030	3BVZ0279



## POOL FILTERS

### CARTRIDGE FILTER PUMP


> For Swing pools



3BTE0397



3EXX0142  
-3EXX0145



3BTE0456

Model	Swing 3 m <sup>3</sup> /h	RP350 - 220 V	RX600 - 12 V	SF 2000 (CF pump + filter tank for sand)	SKIMMER Hand-up Swing®
Item No.	3BTE0397	3EXX0142	3EXX0145	3EXB0148	3BTE0456
Voltage	12 V	230 V	12 V	230 V	-
Pump flow rate	3 m <sup>3</sup> /h	1.32 m <sup>3</sup> /h	1.27 m <sup>3</sup> /h	2 m <sup>3</sup> /h	-
For pool up to	15 m <sup>3</sup>	15 m <sup>3</sup>	15 m <sup>3</sup>	10 m <sup>3</sup>	for all SWING pools models
Sand capacity	-	-	-	8.5 kg	-
Packing	35 x 27 x 27 cm / 2.5 kg	29 x 24 x 33 cm / 2 kg	26 x 23 x 36 cm / 3.5 kg	40 x 54 x 38 cm / 6.8 kg	19.5 x 18 x 36 cm / 1.25 kg
Qty on plt	46 pcs	48 pcs	56 pcs	16 pcs	96 pcs
Accessories	Spare cartridge 3BTZ0023	Spare cartridge 3BTZ0023	Spare cartridge 3BTZ0023	Spare cartridge 3BTZ0023	-

## SKIMMFILTERS

> For Azuro pools



> For the OUTER side pool wall installation

> For the INNER side pool wall installation

Model	Azuro 2500 – 12 V	Azuro 2000 – 12 V
Item No.	3EXX0002	3EXX0007
Voltage	12 V – 50 Hz	12 V – 50 Hz
Power	35 W	20 W
Flow rate	2.5 m <sup>3</sup> /h	2 m <sup>3</sup> /h
Weight	2.5 kg	2.2 kg
Cartridge diameter	55 mm	40 mm
Packing	87 x 26 x 22 cm / 5 kg	41 x 23 x 20 cm
Accessories	Spare cartridge 3BTZ0020	Spare cartridge 3EXX0017
Qty on plt	18 pcs	64 pcs

## SKIMMER PLUS

> For Swing pools



Model	SFS350	SFX600
Item No.	3EXX0146	3EXX0147
Voltage	12 V	12 V
Power	20 W	30 W
Flow rate	1.21 m <sup>3</sup> /h	2.27 m <sup>3</sup> /h
Weight	3.84 kg	4.25 kg
Cartridge diameter	42 mm	42 mm
Packing	49 x 27 x 23 cm / 3.5 kg	42 x 27 x 24 cm / 4 kg
Accessories	Spare cartridge 3BTZ0023	Spare cartridge 3BTZ0023
Qty on plt	56 pcs	56 pcs

## SKIMMERS

> For Azuro pools



Model	AZURO DE LUXE	ASTRAL
Item No.	3EXX0474	3BTE0492

## SAND FILTERS

> For Swing pools/  
Azuro pools



Model	CLEAR 2	CLEAR 4	SF 4000	CLEAR 5
Item No.	3EXB0277	3EXB0278	3EXX0149	3EXB0342
Voltage	230 V	230 V	230 V	230 V
Pump flow rate	2 m <sup>3</sup> /h	4 m <sup>3</sup> /h	4 m <sup>3</sup> /h	5 m <sup>3</sup> /h
For pool up to	6 m <sup>3</sup>	15 m <sup>3</sup>	20 m <sup>3</sup>	30 m <sup>3</sup>
Sand capacity	8.5 kg	10 kg	10 kg	20 kg
Filter diameter	274 mm	250 mm	305 mm	320 mm
Hose connection	32 mm	32 mm	32 mm	32 mm
Box size	36 x 53 x 36 cm	40 x 60 x 33 cm	45 x 59 x 42 cm	40 x 59 x 38 cm
Weight	8.7 kg	10 kg	9.52 kg	10 kg
Qty on plt	18 pcs/plt	20 pcs/plt	12 pcs/plt	20 pcs/plt



Model	PRO S144T	PRO S166T	PRO S210T	PRO S210S
Item No.	3EXB0019	3EXB0020	3EXB0021	3EXB0022
Speck	Speck	Speck	Speck	Speck
Voltage	230 V	230 V	230 V	230 V
Pump flow rate	5 m <sup>3</sup> /h	7 m <sup>3</sup> /h	9 m <sup>3</sup> /h	11 m <sup>3</sup> /h
For pool up to	25 m <sup>3</sup>	35 m <sup>3</sup>	55 m <sup>3</sup>	85 m <sup>3</sup>
Sand capacity	25 kg	50 kg	100 kg	100 kg
Filter diameter	350 mm	400 mm	500 mm	500 mm
Hose connection	32 mm	32/38 + 50 mm	32/38 + 50 mm	32/38 + 50 mm
Box size	107 x 44 x 426 cm	110 x 47 x 43 cm	100 x 53 x 53 cm	107 x 44 x 42 cm
Weight	16 kg	18 kg	24 kg	29 kg
Qty on plt	12 pcs/plt	12 pcs/plt	8 pcs/plt	8 pcs/plt

## PUMPS FOR SAND FILTERS



Model	GS pump FCP-250S	GS pump FCP-370S2	Speck Pro-Pump 5	Speck Pro-Pump 7	Speck Pro-Pump 9	Speck Pro-Pump 11
Item No.	7FIL1040	7FIL1044	3EXX0059	3EXX0060	3EXX0061	3EXX0062
Pump flow rate	5 m <sup>3</sup> /h	7 m <sup>3</sup> /h	5 m <sup>3</sup> /h	7 m <sup>3</sup> /h	9 m <sup>3</sup> /h	11 m <sup>3</sup> /h
INCLUDED IN	-	-	3EXB0019	3EXB0020	3EXB0021	3EXB0022


## POOL FILTERS

# POOL LADDERS



## AZURO LADDERS

Model	3-steps	3-steps	4-steps
Item No.	3EXX0173	3EXX0174	3EXX0175
For pool	up to 0.95m height	up to 1.1 m height	up to 1.22 m height
Material	varnished	varnished	varnished
Qty on plt	up to 30 pcs/plt	up to 30 pcs/plt	up to 30 pcs/plt



Model	3-steps safety	3-steps safety	4-steps safety
Item No.	3EXX0176	3EXX0177	3EXX0178
For pool	up to 0.95m height	up to 1.1 m height	up to 1.22 m height
Material	varnished	varnished	varnished
Qty on plt	up to 30 pcs/plt	up to 30 pcs/plt	up to 30 pcs/plt



Model	3-steps	3-steps	4-steps
Item No.	3EXX0151	3EXX0152	3EXX0153
For pool	up to 0.95 m height	up to 1.1 m height	up to 1.22 m height
Material	stainless steel	stainless steel	stainless steel
Qty on plt	up to 30 pcs/plt	up to 30 pcs/plt	up to 30 pcs/plt



Model	3-steps safety	3-steps safety	4-steps safety
Item No.	3EXX0154	3EXX0155	3EXX0156
For pool	up to 0.95 m height	up to 1.1 m height	up to 1.22 m height
Material	stainless steel	stainless steel	stainless steel
Qty on plt	up to 30 pcs/plt	up to 30 pcs/plt	up to 30 pcs/plt

## AZURO DE LUXE




Model	3-steps	3-steps	3-steps	3-steps	3-steps
Item No.	3EXX0461	3EXX0410	3EXX0463	3EXX0350	3EXX0462
For pool	up to 1.2 m height	up to 1.3 m height	up to 1.2 m height	up to 1.2 m height	up to 1.2 m height, for in-ground pool
Material	varnished	varnished	stainless steel	Stainless steel	Stainless steel
Qty on plt	up to 30 pcs/plt	up to 30 pcs/plt	up to 30 pcs/plt	up to 30 pcs/plt	up to 30 pcs/plt

**SLIM**

Model	SLIM 2-steps	SLIM 3-steps	SLIM 4-steps
Item No.	3EXX0344	3EXX0345	3EXX0346
For pools	over 0.9 m height	over 1.10 m height	over 1.30 m height
Material	stainless steel (AISI 304)	stainless steel (AISI 304)	stainless steel (AISI 304)
Packing	137 x 45 x 10 cm / 8 kg	161 x 45 x 9 cm / 10 kg	187 x 45 x 9 cm / 11 kg
Qty on plt	18 pcs/plt	18 pcs/plt	18 pcs/plt


**STANDARD**

Model	STANDARD 2-steps	STANDARD 3-steps	STANDARD 4-steps
Item No.	3EXX0347	3EXX0348	3EXX0349
For pools	over 0.9 m height	over 1.10 m height	over 1.30 m height
Material	stainless steel (AISI 304)	stainless steel (AISI 304)	stainless steel (AISI 304)
Packing	139 x 73 x 10 cm / 11 kg	163 x 73 x 10 cm / 13 kg	189 x 73 x 9 cm / 12 kg
Qty on plt	12 pcs/plt	12 pcs/plt	12 pcs/plt


**COMFORT**


Model	COMFORT 3-steps	COMFORT 4-steps
Item No.	3EXX0086	3EXX0087
For pools	over 1.10 m height	over 1.30 m height
Material	stainless steel (AISI 304)	stainless steel (AISI 304)
Packing	210 x 120 x 9 cm / 18 kg	224 x 96 x 10 cm / 18 kg
Qty on plt	10 pcs/plt	12 pcs/plt


**Recommended accessories**
**ANCHORING FOR LADDER**

The stainless steel anchor set is used to mount stainless steel ladders on the reinforced (concrete) floor. Designed for SLIM and STANDARD ladder.

3BPZ0066

## ROLLERS AND COVERS



### Support for roller

Model	STATIONARY	MOBILE	MOVABLE
Item no.	3EXX0466	3EXX0464	3EXX0465
Material	stainless steel	stainless steel	stainless steel
Packing	32 x 53 x 63 cm / 3.9 kg	30 x 55 x 64 cm / 4.8 kg	32 x 53 x 63 cm / 4 kg




### Telescopic pole

Model - width	2.7 - 4.4 m	3.7 - 5.4 m	5.4 - 7.1 m
Item no.	3EXX0467	3EXX0468	3EXX0469

## SOLAR COVERS – MADE TO MEASURE

### Solar cover BLUE/BLACK - 400 microns

Model - width	4 m	5 m	6 m	7 m
Item no.	3BVZ0036	3BVZ0037	3BVZ0038	3BVZ0039



> Sold by meter or by roll (1 roll = 50 m)

## SAFETY COVERS



- > Safety – Protects you, your children and your pets from falling into the pool
- > Sheet is not laid on the water, it overlaps the pool by 25 cm on each side. Between the water level and the sheet a thermal insulating pillow is created. That helps to prevent any heat losses during nighttime.
- > Protects from evaporating
- > Protects from debris
- > Decreases the chemical consumption
- > Any shape possible



### Available colors



Blue



Green



Anthracite



Grey



Transparent/Solar





Beige



## AQUA JET 50



## AQUA JET 100



## STAND FOR AQUA JET 50

Telescopic aluminum stand for Aqua Jet. Thanks to this stand, the Aqua Jet can be installed at any above ground pool with different height of wall.



3EXX0058

Model	Aqua Jet 50	Aqua Jet 100
Item No.	3EXB0038	3EXX0473
Capacity of pump	50 m <sup>3</sup> /h	100 m <sup>3</sup> /h
Output	1.1 kW	1.1 kW
Power supply	230 V/50 Hz	230 V/50 Hz
LED light	white	7 colours of light
Carton size (L/W/H)	1.200 x 280 x 550 mm	1.450 x 700 x 740 mm
Net/ Gross Weight	25/27 kg	35/37 kg
Quantity on palette	6 pcs	2 pcs
Power/Flow rate	50 (m <sup>3</sup> /h)	100 (m <sup>3</sup> /h)
Power supply	1N~230 V	1N~230 V
Input	1.50 kW	1.50 kW
Qty of nozzle	1	1

## SWIMMING POOL 3D LED LIGHT



Suitable for all round steel wall pools  $\varnothing$  3.6 m and  $\varnothing$  4.6 m. LED light implemented in hand rail (top rail) of the pool

Item No.	3EXX0295	3EXX0296
For pool size	$\varnothing$ 3.6 m	$\varnothing$ 4.6 m

- > Light supplied always in two strips
- > 30 chips / 1m. type 3528. 4.8W / 1m. IP67
- > Natural white color 4000 – 4500K
- > Transformator 230V / 12V 100W included
- > Cable length to transformator – 3.5 m



# POOL LINERS

## LAGOON




For pool	THICKNESS			
	0.225 mm	0.25 mm	0.40 mm	0.50 mm
2.4 x 0.9 m	3EXX0078	x	x	x
3.0 x 0.9 m	3EXX0183	x	x	x
3.5 x 0.9 m	x	3EXX0267	x	x
3.6 x 0.9 m	x	3EXX0268	3EXX0171	3EXX0275
4.5 x 0.9 m	x	3EXX0270	x	x
4.6 x 0.9 m	x	3EXX0271	3EXX0260	3EXX0276
3.6 x 1.1 m	x	3EXX0269	3EXX0261	x
4.6 x 1.1 m	x	3EXX0273	3EXX0262	x
3.5 x 1.2 m	x	x	x	3EXX0277
3.6 x 1.2 m	x	3EXX0272	3EXX0172	3EXX0278
4.0 x 1.2 m	x	x	x	3EXX0279
4.5 x 1.2 m	x	x	x	3EXX0280
4.6 x 1.2 m	x	3EXX0274	3EXX0179	3EXX0281
5.0 x 1.2 m	x	x	x	3EXX0282
5.5 x 1.2 m	x	x	3EXX0263	3EXX0283
6.4 x 1.2 m	x	x	3EXX0265	x
5.5 x 3.7 x 1.2 m	x	x	3EXX0180	3EXX0284
7.3 x 3.7 x 1.2 m	x	x	3EXX0264	x
9.1 x 4.6 x 1.2 m	x	x	3EXX0266	x

## MISTRY



For pool	THICKNESS
	0.35 mm
3.6 x 1.1 m	3BPZ0267
4.6 x 1.1 m	3BPZ0268
4.6 x 1.2 m	3BPZ0269
5.5 x 1.2 m	3BPZ0270
6.4 x 1.2 m	3BPZ0273
5.5 x 3.7 x 1.2 m	3BPZ0271
7.7 x 3.7 x 1.2 m	3BPZ0272
9.1 x 4.6 x 1.2 m	3BPZ0274

## SWIRL



For pool	THICKNESS	
	0.25 mm	0.325 mm
3.6 x 0.9 m	3BPZ0257	x
4.6 x 0.9 m	3BPZ0258	x
4.6 x 1.1 m	3BPZ0070	x
5.5 x 1.2 m	x	3BPZ0072
6.4 x 1.2 m	x	3BPZ0075
5.5 x 3.7 x 1.2 m	x	3BPZ0073
7.7 x 3.7 x 1.2 m	x	3BPZ0074
9.1 x 4.6 x 1.2 m	x	3BPZ0076

## MOSAIC




## POOL LINERS

### THICKNESS

For pool	0.30 mm
3.6 x 1.1 m	3BPZ0222
4.6 x 1.1 m	3BPZ0223
4.6 x 1.2 m	3BPZ0224
5.5 x 1.2 m	3BPZ0225
6.4 x 1.2 m	3BPZ0228
5.5 x 3.7 x 1.2 m	3BPZ0226
7.3 x 3.7 x 1.2 m	3BPZ0227
9.1 x 4.6 x 1.2 m	3BPZ0229


## PEBBLES



### THICKNESS

For pool	0.30 mm
3.6 x 1.1 m	3BPZ0239
4.6 x 1.1 m	3BPZ0240
4.6 x 1.2 m	3BPZ0241
5.5 x 1.2 m	3BPZ0242
6.4 x 1.2 m	3BPZ0245
5.5 x 3.7 x 1.2 m	3BPZ0243
7.3 x 3.7 x 1.2 m	3BPZ0244
9.1 x 4.6 x 1.2 m	3BPZ0246

## IBIZA LAGOON



### Round pool designs


### THICKNESS

For pool	0.60 mm Mosaic	0.80 mm Blue
3.6 x 1.2 m	x	3EXX0362
4.0 x 1.2 m	3BZP1087	3EXX0373
4.2 x 1.2 m	x	3EXX0379
4.6 x 1.2 m	x	3EXX0363
5.0 x 1.2 m	3BZP1088	3EXX0374
6.0 x 1.2 m	3BZP1089	3EXX0375
4.0 x 1.5 m	3BZP1090	3EXX0376
5.0 x 1.5 m	3BZP1091	3EXX0377
6.0 x 1.5 m	3BZP1092	3EXX0378

### Oval pool designs

For pool	0.60 mm Mosaic	0.80 mm Blue
3.20 x 5.25 x 1.2 m	3BZP1079	3EXX0365
3.20 x 6.0 x 1.2 m	3BZP1080	3EXX0366
3.50 x 7.0 x 1.2 m	3BZP1081	3EXX0367
4.16 x 8.0 x 1.2 m	3BZP1082	3EXX0368
3.20 x 5.25 x 1.5 m	3BZP1083	3EXX0369
3.20 x 6.0 x 1.5 m	3BZP1084	3EXX0370
3.50 x 7.0 x 1.5 m	3BZP1085	3EXX0371
4.16 x 8.0 x 1.5 m	3BZP1086	3EXX0372
4.16 x 10.0 x 1.5 m	x	3EXX0361
6.0 x 12.0 x 1.5 m	x	3EXX0360
6.23 x 3.60 x 1.5 m	x	3EXX0364

## IBIZA MOSAIC




## CLEANERS

### SEMI-AUTOMATIC VACUUM CLEANERS



Model	ZANDER	MAVIX 4	T5
Item No.	3BVZ0251	3BVZ0250	3BVZ0224
For the sand filter with flow rate	4-5 m <sup>3</sup> /h	5-8 m <sup>3</sup> /h	7 m <sup>3</sup> /h
Connecting hose included	9.6 m	10 m	12 m
Cleans bottom/wall	bottom & wall	bottom & wall	bottom & wall
Accessories	Automatic flow rate controller	Automatic flow rate controller	Twist locker for a hose Deflector / Flowmeter / Automatic flow rate controller
Packing	46 x 13 x 83 cm / 12.5 kg	46 x 13 x 83 cm / 12.5 kg	46 x 13 x 83 cm / 12.5 kg
Qty on plt	24 pcs	24 pcs	24 pcs



### ROBOTIC CLEANERS



Model	REACTION	GALEON FL	GALEON MED	Azuro Warrior
Item No.	3BVZ0245	3BVZ0246	3BVZ0247	3BVZ0317
Time of cleaning cycle	1-2 hours	1.5 hours	2 hours	2 hours
Filtering ability	2 bags 10 µm	20 µm	20 µm	50 µm
Filter water volume	18 m <sup>3</sup> /h	16 m <sup>3</sup> /h	16 m <sup>3</sup> /h	14 m <sup>3</sup> /h
Cable length	12 m	18 m	18 m	16 m
Cleans bottom/wall	bottom	bottom	bottom & wall	bottom
Accessories	X	X	trolley	X
Qty on plt	16 pcs	20 pcs	12 pcs	18 pcs
Packing	48 x 54 x 46 cm / 12 kg	53 x 46 x 51 cm / 13 kg	45 x 50 x 53 cm / 15 kg	43 x 43 x 44 cm / 11.5 kg
Recommended accessories	X	3BTZ0027 - Disposable Filter bags for Robotic pool Cleaners - 5 pcs	3BTZ0027 - Disposable Filter bags for Robotic pool Cleaners - 5 pcs	X

### HAND VACUUM CLEANER SHARK BLASTER

Item No.	3BVZ0298
Time of cleaning cycle	1 hour
Charging time	3 hours
Operating water temperature	4-35 °C
Maximum operating depth	3 m
Rechargeable battery. type	Ni-MH AA 8x 1.2 V (1400 mA)
Charging voltage	11.5 V DC / 500 mAh
Motor voltage	12 V DC
Weight	1 kg
Contains:	1x battery / 1x charger



#### Recommended accessories

Telescopic pole up to 1.5 m

3VAZ0018

# CLEANING EQUIPMENTS



**3EXX0311**  
Head for cleaner with side brushes



**3EXX0312**  
Tri-Vac head



**3BVZ0005**  
Cleaning sponge - 2 pcs



**3EXX0314**  
25 cm floor and wall brush



**3EXX0315**  
45 cm floor and wall brush



**3EXX0313**  
Head for cleaner



**3EXX0316**  
Chlorine dispenser



**3EXX0317**  
Chlorine dispenser - small (for 20 tabs)




**3EXX0318**  
Deep bag rake



**3EXX0319**  
Deep bag rake De Luxe



**3EXX0320**  
Leaf skimmer



**3EXX0321**  
Leaf skimmer with handle 1.2 m



**3EXX0322**  
Leaf skimmer De Luxe



**3EXX0336**  
Bigfoot bath



**3EXX0323**  
Floating thermometer with buoy



**3EXX0330**  
De Luxe Air Pillow (recommended under debris pool cover)




**3EXX0331**  
Patch set for pool liners



**3EXX0328**  
Repair kit



**3EXX0324**  
Assorted soft top thermometer



**3EXX0325**  
(1.8 – 3.6 M TELESCOPIC)  
**3EXX0327**  
(2.4 – 4.8 M TELESCOPIC)  
Telescopic poles

**3EXX0322**  
Pole 1.8 m

## HOSES / ACCESSORIES



### PVC HOSES

- > Diameter 32 mm (roll = 50 m)
- > Diameter 38 mm (roll = 45 m)
- > Available in WHITE / BLACK / BLUE colour



**3EXX0457** (32 mm)  
**3EXX0458** (38 mm)



**3EXX0459** (32 mm)  
**3EXX0460** (38 mm)

**3EXX0012** (32 mm)  
**3EXX0013** (38 mm)

### FLEXFIT HOSES

- > Available in diameter  
20 / 25 / 32 / 50 / 63 / 75



Item No.	model
<b>AP71708</b>	FlexFit hose 1 m Ø 20
<b>AP71709</b>	FlexFit hose 1 m Ø 25
<b>AP71710</b>	FlexFit hose 1 m Ø 32
<b>AP71712</b>	FlexFit hose 1 m Ø 50
<b>AP71713</b>	FlexFit hose 1 m Ø 63
<b>VG0317643075</b>	FlexiFit hose 1 m Ø 75

### ACCESSORIES

#### QUICK-FILL RECHARGEABLE ELECTRIC PUMP

<b>Item No.</b>	<b>3BVZ0307</b>
<b>Capacity</b>	650 liters / min
<b>Power supply</b>	battery / 12V DC powder adapter
<b>Utilization</b>	inflating and deflating
<b>Contains</b>	3 extension / NI-MH battery



#### QUICK-FILL AC/DC ELECTRIC PUMP

<b>Item No.</b>	<b>3BVZ0306</b>
<b>Capacity</b>	480 liters / min
<b>Power supply</b>	220 - 240 V / 12 VDC powder adapter
<b>Utilization</b>	inflating and deflating
<b>Contains</b>	3 extension

#### ELECTRIC POOL HEATER

<b>Item no.</b>	<b>3BTE0483</b>
<b>Performance</b>	2800 W at 20 ° C
<b>Power supply</b>	220-240V / 50 Hz
<b>Weight</b>	3.89 kg
<b>Dimensions</b>	43.2 x 26.6 x 18.7 cm
<b>The cable length</b>	3 m



#### AQUAFEED CHLORINATOR

<b>Item no.</b>	<b>3BTE0484</b>
<b>Dimensions</b>	15 x 13 x 28 cm
<b>Contains</b>	1m of 23 mm hose / clamps



## CHLORINE PRODUCTS

Model	AZURO Chlor Shock G		AZURO Chlor T		AZURO Chlor Trio 200 g	
Item No.	3BCH1005	3BCH1004	3BCH1006	3BCH1007	3BCH1003	3BCH1002
Package	1 kg	3 kg	1 kg	3 kg	1 kg	3 kg
Size of box	31 x 21 x 20 cm	41 x 21 x 15.5 cm	31 x 21 x 20 cm	41 x 21 x 15.5 cm	31 x 21 x 20 cm	41 x 21 x 15.5 cm
Packing pcs / box	6 pcs	2 pcs	6 pcs	2 pcs	6 pcs	2 pcs
Packing pcs / palette	504 pcs	100 pcs	504 pcs	100 pcs	504 pcs	100 pcs

Model	AZURO Multi 5 in 1		AZURO Chlorine Stabil	AZURO Blue Shot	AZURO Chlor Liquid
Item No.	3BCH1010	3BCH1025	3BCH1001	3BCH1009	3BCH1027
Package	1 kg	3 kg	1 kg	1 kg	20 l
Size of box	31 x 21 x 20 cm	41 x 21 x 15.5 cm	31 x 21 x 20 cm	31 x 21 x 20 cm	45 x 25 x 20 cm
Packing pcs / box	6 pcs	2 pcs	6 pcs	6 pcs	1 pcs
Packing pcs / palette	504 pcs	100 pcs	504 pcs	504 pcs	30 pcs

Model	AZURO Chlor Trio MINI 20 g
Item No.	3BCH1028
Package	0.9 kg
Size of box	31 x 21 x 20 cm
Packing pcs / box	6 pcs
Packing pcs / palette	504 pcs

## WATER TESTERS

Model	TABLET TESTER PH. CL	QUICK CHECK 4 IN 1
Item No.	3MAR0066	3BVZ0258

## ADDITIONAL PRODUCTS

Model	AZURO ALG	AZURO Ca	AZURO Clear Forte	AZURO Flokul
Item No.	3BCH3003	3BCH3004	3BCH3040	3BCH3006
Package	1 l	1 l	0.6 l	1 l
Size of box	43 x 17.5 x 24 cm	43 x 17.5 x 24 cm	43 x 17.5 x 24 cm	43 x 17.5 x 24 cm
Packing pcs / box	10 pcs	10 pcs	10 pcs	10 pcs
Packing pcs / palette	500 pcs	500 pcs	500 pcs	500 pcs

Model	AZURO Winter		AZURO pH minus		AZURO pH plus	
Item No.	3BCH3011	3BCH3012	3BCH3009	3BCH3010	3BCH3007	3BCH3008
Package	1 l	3 l	1.5 kg	4.5 kg	0.9 kg	4 kg
Size of box	43 x 17.5 x 24 cm	12 x 19 x 22 cm	31 x 21 x 20 cm	41 x 21 x 15.5 cm	31 x 21 x 20 cm	41 x 21 x 15.5 cm
Packing pcs / box	10 pcs	1 pcs	6 pcs	1 pcs	6 pcs	1 pcs
Packing pcs / palette	500 pcs	114 pcs	504 pcs	100 pcs	504 pcs	100 pcs

Model	AZURO pH Minus liquid	AZURO Alkalinity Plus	AZURO Brightening
Item No.	3BCH3043	3BCH3046	3BCH3045
Package	20 l	1 kg	1 l
Size of box	45 x 25 x 20 cm	31 x 21 x 20 cm	43 x 17.5 x 24 cm
Packing pcs / box	1 pcs	6 pcs	10 pcs
Packing pcs / palette	30 pcs	504 pcs	500 pcs

## SOLAR SHOWERS/ BOATS AND TOYS



The solar shower is an indispensable supplement for each pool. The solar shower body is designed as a reservoir that holds up to 50 liters of water. The water is then heated by means of sunshine up to 70 °C, it provide enough warm water for a pleasant and refreshing shower. The solar shower serves not only as an outside shower to refresh and wash, but also as a free and environmentally friendly source of hot water.

DE LUXE



STANDARD



EASY



MOVABLE



MODEL	DE LUXE	STANDARD	EASY	MOVABLE
Item No.	3EXX0050	3EXX0049	3EXX0051	3EXX0111
TANK VOLUME	35 l	35 l	20 l	14 l
MATERIAL	aluminium / stainless steel	polypropylene	polypropylene	polypropylene
HEIGHT	220 cm	220 cm	208 cm	145 cm
WEIGHT	13.5 kg	7 kg	5.3 kg	5.1 kg
PACKING	29 x 227 x 29 cm / 16.5 kg	28 x 28 x 216 cm / 10.5 kg	22 x 22 x 210 cm / 5.5 kg	21 x 145 x 21 cm / 5.4 kg
QTY ON PLT	20 pcs/plt	20 pcs/plt	20 pcs/plt	20 pcs/plt

## BOATS AND TOYS

SEE MORE





# WELLNESS

INFRARED SAUNAS  
TRADITIONAL SAUNAS  
EQUIPMENT & ACCESSORIES

## INFRARED SAUNAS



Model	MARIANA 2	ARAWA	RUBY	GRENADA 2	CORINNA
Item No.	3SAU0056	3SAU0028	3SAU0050	3SAU0026	3SAU0046
Dimensions	97 x 89 x 187 cm	90 x 105 x 190 cm	90 x 105 x 186 cm	120 x 120 x 194 cm	96 x 91 x 195 cm
Number of person	1	1	1	2	1
Material	Canadian Hemlock	Canadian Hemlock	Canadian Hemlock	Canadian Hemlock	Canadian Hemlock / MDF
Power	1.19 kW	1.3 kW	1.3 kW	1.8 kW	1.42 kW
Number / type of heating	3 ceramic heaters	4 ceramic heaters	6 carbon heaters	4 ceramic heaters; 1 red-light ceramic heater	7 carbon heaters
Voltage	230/50 V/Hz	230/50 V/Hz	230/50 V/Hz	230/50 V/Hz	230/50 V/Hz
Control panel	external	external	internal	external/internal	external/internal
Lighting	1 reading lights	1 reading light 2 outdoor lights	1 reading light 2 outdoor lights LED strip with colored lighting	1 reading light 2 outdoor lights	1 interior lighting
Radio/MP3 with remote control	-	yes	yes	yes	yes
Roof ventilation	yes	yes	yes	yes	yes
Temperature sensor	yes	yes	yes	yes	yes
Chromotherapy (10 colours)	-	-	yes (with remote control)	-	yes
Ionizer	-	yes	yes	yes	yes
Backrest	-	-	-	-	-
Cup holder	-	yes	yes	yes - 2 pcs	yes
Size of box	187 x 104 x 30 cm / 100 kg	179 x 95 x 51 cm / 73 kg 110 x 100 x 30 cm / 34 kg	175 x 95 x 32 cm / 73 kg 110 x 97 x 28 cm / 33 kg	180 x 130 x 32 cm / 82 kg 130 x 130 x 25 cm / 43 kg	190 x 110 x 22 cm / 51 kg 190 x 105 x 22 cm / 49 kg 110 x 105 x 26 cm / 33 kg

## INFRARED HEATER

### CERAMIC

The start of the ceramic heaters is fast in order to reach the required temperature of 60 degrees in the infrasauna. Thus fewer heaters are sufficient. These heaters work with the surface temperature of 250–300 °C and are covered by the protective grill.

### RED-LIGHT

Due to the new technology, the heaters by far reach the required temperature of 60 degrees inside the infrasauna out of all the infraheaters available in the market. They generate the surface temperature of 300–500 °C and are equipped by the protective grill.

### CARBON

The Carbon heaters generate the surface temperature of 70–170 °C. On one level, they are slower in reaching the maximal temperature of 60 °C inside the infrasauna, on another level, they bear longer life span. The distribution of infra red rays of the carbon heaters is more symmetrical and the most effective.

# MODEL OVERVIEW AND EQUIPMENT



ZORA	LILY 2	TONGA	SALOME	ROWEN	PANDORA
3SAU0058	3SAU0049	3SAU0023	3SAU0057	3SAU0048	3SAU0055
133 x 115 x 186 cm	130 x 105 x 195 cm	120 x 105 x 194 cm	150 x 150 x 190 cm	175 x 120 x 190 cm	130 x 105 x 190 cm
2	2	2	3	3 - 4	2
Canadian Hemlock	Canadian Hemlock/MDF	Canadian Hemlock	Canadian Hemlock	Canadian Hemlock	Cedar
1.89 kW	1.95 kW	1.7 kW	2.34 kW	2.44 kW	2.1 kW
8 carbon heaters	7 carbon heaters	6 carbon heaters	6 ceramic heaters; 2 red-light ceramic heater	11 carbon heaters	4 carbon heaters; 4 red-light ceramic heater
230/50 V/Hz	230/50 V/Hz	230/50 V/Hz	230/50 V/Hz	230/50 V/Hz	230/50 V/Hz
internal	external/internal	external/internal	internal	external/internal	internal
1 interior lighting 2 outdoor lights	1 interior lighting	1 reading lights	1 interior lighting 2 outdoor lights	1 interior lighting	light sky + indirect back wall illumination
yes	yes	yes	yes	yes	yes (without remote control)
yes	yes	yes	yes	yes	yes
yes	yes	yes	yes	yes	yes
yes	yes	yes (with remote control)	yes	yes	yes
yes	yes	yes	yes	yes	-
-	yes	-	yes	-	-
yes	yes	-	yes	yes	-
175 x 136 x 32 cm / 110 kg 138 x 120 x 28 cm / 45 kg	190 x 140 x 20 cm / 63 kg 190 x 115 x 21 cm / 55 kg 140 x 115 x 26 cm / 50 kg	178 x 112 x 23 cm / 64 kg 178 x 119 x 17 cm / 55 kg 125 x 112 x 37 cm / 62 kg	180 x 153 x 24 cm / 68 kg 180 x 137 x 20 cm / 50 kg 160 x 158 x 26 cm / 67 kg	186 x 186 x 20 cm / 79 kg 183 x 126 x 20 cm / 52 kg 186 x 135 x 26 cm / 74 kg	195 x 136 x 22 cm / 92 kg 190 x 99 x 17 cm / 46 kg 135 x 108 x 24 cm / 51 kg 92 x 45 x 30 cm / 12 kg

## EQUIPMENT



### IONIZER

This infrasauna enriches air which is being inhaled by the negative ions. This then resembles the quality of the air in the mountains or by the sea. It also effectively liquidates bacterias. The ozone generator is included in the ioniser.



### CHROMOTHERAPY (color therapy)

The infrasauna enables switching various kinds of light / shades as per the wish / mood by the remote control. Each colour influences our mental health, it is refreshing, stimulates or on the contrary calms.


# INFRARED SAUNAS

3SAU0056


## MARIANA 2



- > 3 ceramic heaters
- > External control panel

**EQUIPMENT:**

 roof ventilation

 temperature sensor

 1 reading lights



dimensions (cm)




3SAU0028

## ARAWA

- > 4 ceramic heaters
- > External control panel

**EQUIPMENT:**



 roof ventilation



 temperature sensor

 ionizer

 Radio/MP3 with remote control

 Cup holder

 1 reading light  
 2 outdoor lights



dimensions (cm)



3SAU0050

## RUBY

- > 6 carbon heaters including 1 floor heating
- > Internal control panel

**EQUIPMENT:**

 roof ventilation


 temperature sensor


 ionizer

 1 reading light  
 2 outdoor lights  
LED strip with colored lighting

 Radio/MP3 with remote control

 Cup holder

 Chromotherapy



dimensions (cm)



## INFRARED SAUNAS


3SAU0026

### GRENADA 2

- > 4 ceramic heaters + 1 red-light
- > Internal and external control panel

#### EQUIPMENT:

	roof ventilation		Radio/MP3 with remote control
	temperature sensor		2 Cup holder
	ionizer		1 reading light
			2 outdoor lights



dimensions (cm)




3SAU0046

### CORINNA

- > 7 carbon heaters including 1 floor heating
- > Internal and external control panel

#### EQUIPMENT:

	roof ventilation		Radio/MP3 with remote control
	temperature sensor		Cup holder
	ionizer		Chromotherapy
	1 reading lights		



dimensions (cm)






3SAU0058

### ZORA

- > 8 carbon heaters
- > Internal control panel

#### EQUIPMENT:

	roof ventilation		Radio/MP3 with remote control
	temperature sensor		Cup holder
	ionizer		Chromotherapy
	1 reading light		
	2 outdoor lights		



## INFRARED SAUNAS



3SAU0049

### LILY 2

- > 7 carbon heaters
- > Internal and external control panel

#### EQUIPMENT:

 roof ventilation	 Radio/MP3 with remote control
 temperature sensor	 Cup holder
 ionizer	 Chromotherapy
 Backrest	 1 reading lights









3SAU0023

### TONGA

- > 6 carbon heaters
- > Internal and external control panel

#### EQUIPMENT:

 roof ventilation	 Radio/MP3 with remote control
 temperature sensor	 Chromotherapy
 ionizer	 1 reading lights










3SAU0057

### SALOME

- > 6 ceramic heaters; 2 red-light ceramic heaters
- > Internal control panel

#### EQUIPMENT:

 roof ventilation	 Radio/MP3 with remote control
 temperature sensor	 Cup holder
 ionizer	 Chromotherapy
 Backrest	 1 interior lighting 2 outdoor lights





# INFRARED SAUNAS

## 3SAU0048 ROWEN

- > 11 carbon heaters
- > Internal and external control panel

### EQUIPMENT:

	roof ventilation		Radio/MP3 with remote control
	temperature sensor		Cup holder
	ionizer		Chromotherapy
	1 reading lights		




## 3SAU0055 PANDORA

- > 4 carbon heaters; 4 red-light ceramic heater
- > Internal control panel

### EQUIPMENT:

	roof ventilation		light sky indirect back wall illumination
	temperature sensor		Chromotherapy



## TRADITIONAL SAUNAS



Model	HEIKKI	SUVI	TUULA	MIRVA	VARIADO
Item No.	3SAU0030	3SAU0031	3SAU0032	3SAU0033	3SAU0034
Dimensions	151 x 151 x 198 cm	196 x 151 x 198 cm	196 x 170 x 198 cm	196 x 196 x 198 cm	196 x 118 x 198 cm
Number and dimension of benches	2x 136 x 53 cm	1x 181 x 58 cm 1x 181 x 28 cm	2x 181 x 58 cm	2x 181 x 58 cm 1x 181 x 48 cm	1x 181 x 58 cm
Material	Spruce wood	Spruce wood	Spruce wood	Spruce wood	Spruce wood
Wall thickness	68 mm	68 mm	68 mm	68 mm	68 mm
Insulation thickness	42 mm	42 mm	42 mm	42 mm	42 mm
Door width	78 cm	78 cm	78 cm	78 cm	78 cm
Recommended stove (NOT INCLUDED)	3,6 kW / 9 kW	9 kW	9 kW	9 kW	3,6 kW / 9 kW
Headrest	yes	yes	yes	yes	yes
Wall guard for the Heater	yes	yes	yes	yes	yes
Size of box	200 x 78 x 89 cm / 251 kg 190 x 80 x 18 cm / 45 kg	200 x 125 x 69 cm / 292 kg 190 x 80 x 18 cm / 45 kg	200 x 123 x 70 cm / 275 kg 190 x 80 x 18 cm / 45 kg	195 x 120 x 85 cm / 354 kg 190 x 80 x 18 cm / 45 kg	200 x 120 x 60 cm / 250 kg 190 x 80 x 18 cm / 45 kg

## ELECTRIC SAUNA HEATERS - OVERVIEW



Model	SENTIOTEC 3,6 kW	SENTIOTEC 8 kW	SENTIOTEC 9 kW
Item No.	3SAZ0086	3SAZ0087	3SAZ0088
Dimensions / weight	34 x 19.5 x 62 cm / 8 kg	42 x 27 x 66 cm / 12 kg	42 x 27.5 x 66.5 cm / 14 kg
	Basic model (for Heikki and Variado)	Control panel integrated into the base of the heater with possibility adjust on left or right side	Digital panel on the outside wall of the sauna for maximum comfort
	Heat to 80 °C in about 60 minutes.	Connection - 230 V using our cable 3BZM0117 or 400 V cable 3BZM0114	External remote control for switch on/off lighting in sauna
	Connection - 230 V using our cable 3BZM0117 or 400 V cable 3BZM0114	Stones 3SAZ0071 are not included	Connection - 230 V using our cable 3BZM0117 or 400 V cable 3BZM0114
	Stones 3SAZ0071 are not included	Timer allows to set immediate start in 0 - 4 hours or postpone it by 1 - 8 hours	Stones 3SAZ0071 are not included
	Timer allows to set immediate start in 0-4 hours or postpone it by 1- 8 hours	Built-in control unit	Timer allows to set immediate start in 0 - 4 hours or postpone it by 15 min - 23 h 45 min, temperature in sauna between 40 - 125 °C
	Built-in control unit		External control unit



# MODEL OVERVIEW



**GOBIN**

**FARIN**

**PARIMA 4**

**AREN**

**SOREN**

**INGE**

**FREYA**

	<b>3SAU0040</b>	<b>3SAU0041</b>	<b>3SAU0043</b>	<b>3SAU0051</b>	<b>3SAU0052</b>	<b>3SAU0053</b>	<b>3SAU0054</b>
	231 x 196 x 198 cm	231 x 231 x 198 cm	170 x 231 x 198 cm	205 x 205 x 204 cm	206 x 205 x 204 cm	206 x 206 x 204 cm	208 x 206 x 204 cm
	2x 216 x 58 cm 1x 181 x 53 cm	1x 216 x 113 cm 1x 216 x 58 cm 1x 216 x 53 cm	2x 216 x 58 cm	3x 192 x 60 cm	3x 192 x 60 cm	3x 192 x 60 cm	3x 192 x 60 cm
	Spruce wood	Spruce wood	Spruce wood	Spruce wood	Selective spruce wood	Selective spruce wood	Selective spruce wood
	68 mm	68 mm	68 mm	40 mm	40 mm	40 mm	40 mm
	42 mm	42 mm	42 mm	40 mm	40 mm	40 mm	40 mm
	78 cm	78 cm	78 cm	78 cm	72 cm	68 cm	59 cm
	9 kW	9 kW	9 kW	9 kW	9 kW	9 kW	9 kW
	yes	yes	yes	yes - 2pcs	yes - 2pcs	yes - 2pcs	yes - 2pcs
	yes	yes	yes	yes	yes	yes	yes
	228 x 124 x 90 cm / 387 kg 190 x 80 x 18 cm / 45 kg	236 x 116 x 91 cm / 375 kg	220 x 120 x 85 cm / 357 kg 192 x 90 x 40 cm / 66 kg	205 x 120 x 78 cm / 466 kg	205 x 120 x 78 cm / 466 kg	205 x 120 x 160 cm / 462 kg	210 x 122 x 80 cm / 462 kg



**BLACKFIN 9 kW**



**COMBI 9 kW**


	<b>3SAZ0080</b>	<b>3SAZ0081</b>
	39 x 38 x 53 cm / 15 kg	41 x 36.5 x 59.5 cm / 16 kg
	Height adjustable tray of sauna stones	Built-in steam generator
	Control of temperature, light intensity, start timer	Control of temperature, light intensity, start timer
	From the renowned European brand Sentiotec	Durable, elegant display with control
	The heater can be connected only to a 3-phase connection (400 V 3N ~)	From the renowned European brand Sentiotec
	External control unit	The heater can be connected only to a 3-phase connection (400 V 3N ~)
		External control unit




## TRADITIONAL SAUNAS

### 3SAU0030 HEIKKI




#### EQUIPMENT:


-  2 benches of aspen wood 136 x 53 cm
-  Headrest
-  Wall guard for the Heater



### 3SAU0031 SUVI




#### EQUIPMENT:


-  2 benches of aspen wood 1x 181 x 58 cm, 1x 181 x 28 cm
-  Headrest
-  Wall guard for the Heater



### 3SAU0032 TUULA


#### EQUIPMENT:

-  2 benches of aspen wood 181 x 58 cm
-  Headrest
-  Wall guard for the Heater





3SAU0033  
MIRVA

EQUIPMENT:

 2 benches of aspen wood 2x 181 x 58 cm, 1x 181 x 48 cm


 Headrest

 Wall guard for the Heater





3SAU0034  
VARIADO

EQUIPMENT:

 1 bench of aspen wood 181 x 58 cm

 Headrest

 Wall guard for the Heater





3SAU0040  
GOBIN

EQUIPMENT:

 3 benches of linden wood 192 x 60 cm

 Headrest

 Wall guard for the Heater



## TRADITIONAL SAUNAS

### 3SAU0041 FARIN

#### EQUIPMENT:




3 benches of aspen wood  
1x 216 x 113 cm  
1x 216 x 58 cm  
1x 216 x 53 cm



Headrest



Wall guard for the Heater



### 3SAU0043

### PARIMA 4

#### EQUIPMENT:




2 benches of aspen wood  
216 x 58 cm



Headrest



Wall guard for the Heater



### 3SAU0051

### AREN

#### EQUIPMENT:



3 benches of linden wood  
192 x 60 cm



2 Headrests




Floor grate  
70 x 50 cm



Sauna lighting



Wall guard for the Heater



**3SAU0052**  
**SOREN**

**EQUIPMENT:**

-  3 benches of linden wood 192 x 60 cm

---

-  2 Headrests

---


-  Floor grate 70 x 50 cm

---

-  Sauna lighting

---

-  Wall guard for the Heater



**3SAU0053**  
**INGE**

**EQUIPMENT:**

-  3 benches of linden wood 192 x 60 cm

---

-  2 Headrests

---


-  Floor grate 70 x 53 x 4 cm

---

-  Sauna lighting

---

-  Wall guard for the Heater



**3SAU0054**  
**FREYA**

**EQUIPMENT:**

-  3 benches of linden wood 192 x 60 cm

---

-  2 Headrests

---


-  Floor grate 70 x 53 x 4 cm

---

-  Sauna lighting

---

-  Wall guard for the Heater



## ACCESSORIES

### Sauna essence - 50 ml

3SAZ0070 – Scrub pine  
3SAZ0072 – Eucalyptus  
3SAZ0073 – Honey  
3SAZ0074 – Orange

### Peeling salt - Santal wood 500 g

3SAZ0076

### Disinfectant Chemosan 1 l

3SAZ0059

Dimensions / weight of package  
- 10 x 10 x 21 cm / 1 kg

### Cleaner Saunareiniger 1 l

3SAZ0060

Dimensions / weight of package  
- 10 x 10 x 21 cm / 1 kg



### Sauna set

3SAZ0066

Wooden bucket 3 l / ladle / hourglass,  
thermometer / hygrometer  
Dimensions / weight of package  
- 30 x 33 x 30 cm / 1.5 kg



### Cup holder

3SAZ0083

Dimensions - 15.5 x 9.5 x 5.5 cm  
Mounting screws are not included

SEE MORE



### Humidity sensor

3SAZ0082

Designed for a 9 kW sauna combi  
with built-in steam generator



### Sauna lighting

3SAZ0065

Including bulb socket and protective  
cover / without bulb (E27) / IP 54  
Dimensions / weight of package  
- 23 x 40 x 16 cm / 1 kg



### Sauna thermometer 0 - 120°C

3SAZ0067

Dimensions / weight of package -  
11 x 15 x 4 cm / 0.1 kg



### Backrest

3SAZ0058

Material - hemlock  
Dimensions / weight  
of package - 36 x 53 x 5 cm / 0.7 kg



### Sauna stones 18 kg

3SAZ0071

Dimensions / weight of package  
- 29 x 39 x 14 cm / 20 kg



### Sauna hygrometer

3SAZ0068

Dimensions / weight of package  
- 11 x 15 x 4 cm / 0.1 kg

### Bolster

3SAZ0075

Material - Aspen, poplar  
Dimensions - 29.5 cm x 46.2 cm

### Sauna cable 230 V - 3 x 1.5 mm<sup>2</sup>

3BZM0113

High temperature resistant  
To connect lighting with sauna stove  
control or a separate switch.

### Sauna cable 230 V - 3 x 2.5 mm<sup>2</sup>

3BZM0117

1 phase

### Sauna cable 400 V - 5 x 2.5 mm<sup>2</sup>

3BZM0114


High temperature resistant  
2 phase



### Wooden platform 46 x 100 cm

3SAZ0064

material - northern spruce  
Dimensions / weight of package - 46 x 100 x 4 cm / 4 kg



# WELLNESS

WHIRLPOOLS  
INFLATABLE PORTABLE HOT TUB SPA  
ACCESSORIES

# WHIRLPOOLS



## BASIC LINE

Model	MIAMI	TITAN	JUPITER	PLUTO	VENUS
Dimensions	200 x 150 x 70 cm	201 x 153 x 770 cm	200 x 200 x 87 cm	200 x 200 x 89 cm	215 x 215 x 86 cm
Total number of jets	26	31	46	42	49
Seats	1	2	5	3	5
Loungers	2	1	1	2	1
Pump performance	1x 2 HP (2 speeds)	1x 3 HP (2 speeds)	1x 3 HP (2 speeds)	1x 3 HP (2 speeds)	1x 2 HP (2 speeds) + 1x 2 HP (1 speed)
Circulating pump	-	-	-	-	-
Power consumption	230 / 50 Hz (1x 16 A)	230 / 50 Hz (1x16 A)	230 / 50 Hz (1x 16 A)	230 / 50 Hz (1x 16 A)	230 / 50 Hz (1x 16 A)
Heater	2 kW	2k W	2 kW	2 kW	3 kW
Control panel	Gecko Easy 4 +IN.YJ-2	Gecko Easy 4 +IN.YJ-2	Gecko Easy 4 +IN.YJ-2	Gecko Easy 4 +IN.YJ-2	Gecko easy 4 IN.YE-3
Control over Wi-Fi	-	-	-	-	-
Tech. cleaning	-	Ozongenerator	Ozongenerator	Ozongenerator	Ozongenerator
Number of cartridge filters	1	1	1	2	2
LED lighting	10x 1 LED	10x 1 LED + central	15x 1 LED	16x 1 LED	18x 1 LED
Aroma therapy	-	-	-	-	-
Audio system Aquatic	-	2.0	2.0	2.0	4.0
Frame	HorizontSide™ UV-proof wood textured	HorizontSide™ UV-proof wood textured	HorizontSide™ UV-proof wood textured	HorizontSide™ UV-proof wood textured	HorizontSide™ UV-proof wood textured
Number of filters in skimmer	1	1	1	1	1
Fountain	-	-	YES	-	-
Waterfall	-	YES	-	-	-
Thermo cover	YES	YES	YES	YES	YES
Water volume	590 l	720 l	1 100 l	960 l	1 450 l
Weight	230 kg	280 kg	300 kg	270 kg	330 kg





# MODEL OVERVIEW



	COMFORT LINE			EXCLUSIVE LINE	
	MANHATTAN	MALAGA	PALERMO	KILIMANJARO	EVEREST
	201 x 153 x 85 cm	218 x 218 x 90 cm	218 x 218 x 87	230 x 230 x 94	236 x 236 x 95
	28	40	42	64	88
	0	5	3	5	3
	2	1	2	1	2
	1x 3 HP (single speed)	2x 3 HP (single speed)	2x 3 HP (single speed)	3x 3 HP (single speed)	2x 3 HP (double speed) + 2x 2 HP (single speed)
	YES	YES	YES	YES	YES
	1 × 32 A 230 V / 400 V 50 Hz	3 × 16 A 230 V / 400 V 50 Hz	3 × 16 A 230 V / 400 V 50 Hz	230 V / 400 V / 50 Hz (3x 16 A)	400 V / 230 V / 50 Hz (3x 20 A)
	3 kW	3 kW	3 kW	3kW	3kW
	Gecko Smart touch +IN.YE-3	Gecko Smart touch +IN.YE-3	Gecko Smart touch +IN.YE-3	Gecko Smart touch +IN.YE-5	Gecko Smart touch +IN.YT-8
	YES	YES	YES	YES	YES
	UV-C	UV-C	UV-C	UV-C	UV-C
	1	1	1	3	3
	10x 1 LED	16x 1 LED + starlight corner element	16x 1 LED + starlight corner element	16x 1 LED + starlight corner element	15 LED + Central + StarLight corner element lighting
	YES	YES	YES	YES	YES
	2.1.	2.1.	2.1.	2.1. POP UP	4.1. POP UP
	WPS	WPS	WPS	WPS	WPS
	1	1	1	3	3
	YES	YES	YES	-	YES
	-	YES	YES	YES	YES
	YES	YES	YES	YES	YES
	510 l	1 150 l	1 100 l	1 450 l	1 560 l
	280 kg	350 kg	350 kg	410 kg	420 kg



**MIAMI**

- > Dimensions: 200 x 150 x 70 cm
- > Total number of jets: 26
- > Seats: 1
- > Loungers: 2



**Miami - grey**

3VAN0095 Silver marble

**TITAN**

- > Dimensions: 201 x 153 x 77 cm
- > Total number of jets: 31
- > Seats: 2
- > Loungers: 1



**Titan - grey**

3VAN0044 White pearl

3VAN0045 Silver marble

3VAN0046 Tuscan sun

**JUPITER**

- > Dimensions: 200 x 200 x 87 cm
- > Total number of jets: 46
- > Seats: 5
- > Loungers: 1



**Jupiter - grey**

3VAN0047 White pearl

3VAN0048 Silver marble

3VAN0049 Tuscan sun

## PLUTO

- > Dimensions: 200 x 200 x 89 cm
- > Total number of jets: 42
- > Seats: 3
- > Loungers: 2



### Pluto - grey

3VAN0050 White pearl

3VAN0051 Silver marble

3VAN0052 Tuscan sun

## VENUS

- > Dimensions: 215 x 215 x 86 cm
- > Total number of jets: 49
- > Seats: 5
- > Loungers: 1



### Venus - grey


3VAN0053 White pearl

3VAN0054 Silver marble


3VAN0055 Tuscan sun




### Spa shell color:



White pearl




Silver marble



Tuscan sun

### Cabinet color:



Grey

**MANHATTAN**

- > Dimensions: 201 x 153 x 85 cm
- > Total number of jets: 28
- > Seats: 0
- > Loungers: 2



**Manhattan - grey**

3VAN0056 White pearl

3VAN0057 Silver marble

3VAN0058 Tuscan sun

**MALAGA**

- > Dimensions: 218 x 218 x 90 cm
- > Total number of jets: 31
- > Seats: 5
- > Loungers: 1



**Malaga - grey**

3VAN0059 White pearl

3VAN0060 Silver marble

3VAN0061 Tuscan sun

**PALERMO**

- > Dimensions: 218 x 218 x 87
- > Total number of jets: 42
- > Seats: 3
- > Loungers: 2



**Palermo - grey**

3VAN0062 White pearl

3VAN0063 Silver marble

3VAN0064 Tuscan sun

**KILIMANJARO**

- > Dimensions: 230 x 230 x 94 cm
- > Total number of jets: 64
- > Seats: 5
- > Loungers: 1



**Kilimanjaro - grey**

- 3VAN0065 White pearl
- 3VAN0066 Silver marble
- 3VAN0067 Moonlight
- 3VAN0068 Storm
- 3VAN0096 Tuscan sun
- 3VAN0069 Midnight Canyon

**Kilimanjaro - brown**

- 3VAN0070 White pearl
- 3VAN0071 Silver marble
- 3VAN0072 Moonlight
- 3VAN0073 Storm
- 3VAN0097 Tuscan sun
- 3VAN0074 Midnight Canyon


**Kilimanjaro - black**

- 3VAN0075 White pearl
- 3VAN0076 Silver marble
- 3VAN0077 Moonlight
- 3VAN0078 Storm
- 3VAN0098 Tuscan sun
- 3VAN0079 Midnight Canyon

**Cabinet color:**



Grey



Brown




Black


**Spa shell color:**




White pearl




Silver marble




Tuscan sun



Midnight Canyon



Moonlight



Storm

**EVEREST**

- > Dimensions: 236 x 236 x 95 cm
- > Total number of jets: 88
- > Seats: 3
- > Loungers: 2



**Everest - grey**

- 3VAN0080 White pearl
- 3VAN0081 Silver marble
- 3VAN0082 Moonlight
- 3VAN0083 Storm
- 3VAN0099 Tuscan sun
- 3VAN0084 Midnight Canyon

**Everest - brown**

- 3VAN0085 White pearl
- 3VAN0086 Silver marble
- 3VAN0087 Moonlight
- 3VAN0088 Storm
- 3VAN0100 Tuscan sun
- 3VAN0089 Midnight Canyon

**Everest - black**

- 3VAN0090 White pearl
- 3VAN0091 Silver marble
- 3VAN0092 Moonlight
- 3VAN0093 Storm
- 3VAN0101 Tuscan sun
- 3VAN0094 Midnight Canyon

## INFLATABLE PORTABLE HOT TUB SPA

3VAN0020

### PureSpa Bubble HWS 800

**Capacity:** 4 persons  
**Shape / Height:** round / 0.71 m  
**Total number of jets:** 120  
**Inner / Outer diameter:** 1.45 m / 1.96 m  
**Water volume:** 795 l  
**Water heating / Max. temperature:** 1.5 - 2 °C/h / 40 °C  
**Power consumption of water:** 2.2 kW  
**Massage air pump:** 0.8 kW  
**Massage water pump:** -  
**Salt water system:** -  
**Hard water system:** 10 W  
**Circulating pump:** 1 741 l/h  
**Package size / Weight:** 53 x 81 x 60 cm / 49 kg



3VAN0102

### PureSpa Plus HWS 800

**Capacity:** 4 persons  
**Shape / Height:** round / 0.71 m  
**Total number of jets:** 140  
**Inner / Outer diameter:** 1.45 m / 1.96 m  
**Water volume:** 795 l  
**Water heating / Max. temperature:** 1.5 - 2 °C/h / 40 °C  
**Power consumption of water:** 2.2 kW  
**Massage air pump:** 0.8 kW  
**Massage water pump:** -  
**Salt water system:** -  
**Hard water system:** 10 W  
**Circulating pump:** 1 741 l/h  
**Package size / Weight:** 53 x 81 x 60 cm / 49 kg



3VAN0024

### PureSpa Plus HWS 1 100

**Capacity:** 6 persons  
**Shape / Height:** round / 0.71 m  
**Total number of jets:** 170  
**Inner / Outer diameter:** 1.65 m / 2.16 m  
**Water volume:** 1 098 l  
**Water heating / Max. temperature:** 1 - 2 °C/h / 40 °C  
**Power consumption of water:** 2.2 kW  
**Massage air pump:** 0.8 kW  
**Massage water pump:** -  
**Salt water system:** -  
**Hard water system:** 10 W  
**Circulating pump:** 1 741 l/h  
**Package size / Weight:** 80 x 58 x 52 cm / 49 kg



## INFLATABLE PORTABLE HOT TUB SPA

3VAN0025

### PureSpa DeLuxe HWS 800

**Capacity:** 4 persons  
**Shape / Height:** octagon / 0.71 m  
**Total number of jets:** 4 jet + 120 bubble  
**Inner / Outer diameter:** 1.5 m / 2.01 m  
**Water volume:** 795 l  
**Water heating / Max. temperature:** 1.5 – 2.5 °C/h / 40 °C  
**Power consumption of water:** 2.2 kW  
**Massage air pump:** 0.8 kW  
**Massage water pump:** 0.65 kW  
**Salt water system:** 20 W  
**Hard water system:** 10 W  
**Circulating pump:** 1 741 l/h  
**Package size / Weight:** 117 x 48 x 71 cm / 70.8 kg



3VAN0043

### Lay-Z-Spa Maldives

**Capacity:** 5 persons  
**Shape / Height:** square / 0.8 m  
**Total number of jets:** 8 jet + 140 bubble  
**Inner / Outer diameter:** 1.51 x 1.51 m / 2.01 x 2.01 m  
**Water volume:** 1 050 l  
**Water heating / Max. temperature:** 1 – 2 °C/h / 40 °C  
**Power consumption of water:** 2.06 kW  
**Massage air pump:** 0.8 kW  
**Massage water pump:** 0.5 kW  
**Salt water system:** -  
**Hard water system:** Clear soft system  
**Circulating pump:** 1 325 l/h  
**Package size / Weight:** 75 x 85 x 92 cm / 75.4 kg



3VAN0104

### PureSpa Greywood HWS 800

**Capacity:** 4 persons  
**Shape/ Height:** round/ 0.71 m  
**Total number of jets:** 140 Bubble jets  
**Inner/ Outer diameter:** 1.45 m/ 1.96 m  
**Water volume:** 795 l  
**Water heating/ Max. temperature:** 1.5° - 2.5° C/ hr / 40 °C  
**Power consumption of water:** 2.2 kW  
**Massage air pump:** 0.8 kW  
**Massage water pump:** -  
**Salt water system:** -  
**Hard water system:** 10 W  
**Circulating pump:** 1 741 l/ hr  
**Package size/ Weight:** 53 x 81 x 60 cm / 47.4 kg



## ACCESSORIES



SEE MORE



# Mountfield

Specialist for Pool & Garden

[www.mountfield-export.com](http://www.mountfield-export.com)

## HEAD OFFICE

Mountfield a.s.  
Všechromy 56/Highway D1, exit 15  
251 63 Strančice  
Czech Republic

## CONTACTS

Tel: +420 255 704 261  
E-mail: [export@mountfield.cz](mailto:export@mountfield.cz)  
[www.mountfield-export.com](http://www.mountfield-export.com)

Mountfield reserves the right to change all information in this catalogue without prior notice. All information is for information only. Pictures and graphics are for illustration only. Errors in values and printing are subject to change.